

Revision: 12/30/2015 Supersedes Revision: 06/22/2015

1. Product and Company Identification				
Product Code: Product Name:	0282A 0282A			
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	<b>Phone Number:</b> (603)685-0500		
Web site address:	www.appli-tec.com			
Emergency Contact: Information: Intended Use:	Contact medical emergency services Call Chemtrec for Transport Info. Resin for two part adhesive	(800)424-9300		

# 2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word:	Warning
GHS Hazard Phrases:	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H335 - May cause respiratory irritation.
GHS Precaution Phrases:	P261 - Avoid breathing vapors, mist, or spray.
	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P302+352 - IF ON SKIN: Wash with plenty of soap and water.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
	P337+313 - If eye irritation persists, get medical advice/attention.
	P362 - Take off contaminated clothing and wash before re-use.
•	P403+233 - Store container tightly closed in well-ventilated place.
Phrases:	P405 - Store locked up.
	P501 - Dispose of contents/container according to local and national regulations.
Emergency Overview:	
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.
	-



Page: 2 of 5

Revision: 12/30/2015 Supersedes Revision: 06/22/2015

Potential He	ealth Effects Chronic):				
Inhalation: May be harmful if i			ed.		
Skin Contact:		Causes skin irritation. May cause allergic skin reaction.			
Eye Contact:		Causes eye irritation.			
Ingestion:		May be harmful if swallowed.			
Additional I	Additional Information No data available.				
3. Composition/Information on Ingredients					
CAS #	Hazardous Com	oonents (Chemical Name)	Concentration		
25068-38-6	25068-38-6 Bisphenol-a based epoxy resin		100.0 %		
Additional Information					
4. First Aid Measures					
Emergency and First Aid					

Emergency and First Aid Procedures:			
In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.		
In Case of Skin Contact:	Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.		
In Case of Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.		
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.		
	5. Fire Fighting Measures		
Flash Pt:	> 93.00 C		
Explosive Limits:	LEL: No data. UEL: No data.		
Autoignition Pt:	No data.		
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		
Flammable Properties and Hazards:	No data available.		
Hazardous Combustion Products:	No data available.		
	6. Accidental Release Measures		
Steps To Be Taken In Case Material Is Released Or Spilled:	Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.		
	7. Handling and Storage		
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for preventive fire protection.		
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.		



88	. Exposure C	controls/Perso	nal Protection	
CAS # Partial Chemica	•	OSHA TWA	ACGIH TWA	Other Limits
25068-38-6 Bisphenol-a base	ed epoxy resin	No data.	No data.	No data.
Respiratory Equipment		SHA or European S	tandard EN 149 approve	d respirator if
(Specify Type):		•	ritation or other symptom	
Eye Protection:	Safety glasses.			
Protective Gloves:				
<b>Other Protective Clothing</b>	Wear appropriate protective clothing to prevent skin exposure.			
Engineering Controls	•		st ventilation, or other eng	0
(Ventilation etc.):	control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.			
Work/Hygienic/Maintenan		0		y practice. Wash
e Practices:		eaks and at the end		
	9. Physical	and Chemical	Properties	
Physical States:		Liquid [ ] Solid		
Appearance and Odor:		ear. Viscous. Liquid.		
Malting Daint	Odor: weak odor No data.			
Melting Point: Boiling Point:	No data.			
Flash Pt:	> 93.00 C			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available	۵		
Explosive Limits:	LEL: No data.		UEL: No data.	
Vapor Pressure (vs. Air or				
mm Hg):				
Vapor Density (vs. Air = 1)	: No data.			
Specific Gravity (Water =	~1.2			
1):				
Solubility in Water:	No data.			
Percent Volatile:	No data.			
Autoignition Pt:	No data.			
10. Stability and Reactivity				
Stability:	Unstable [ ]	Stable [ X ]		
Conditions To Avoid - Instability:	Excess heat.			
Incompatibility - Materials To Avoid:	Strong oxidizing	agents, Strong acid	ls, aliphatic amines.	
Hazardous Decomposition or Byproducts:			_	
Possibility of Hazardous Reactions:	Will occur [ ]	Will not occur [ X	]	
Conditions To Avoid - Hazardous Reactions:	No data available	e.		



Revision: 12/30/2015 Supersedes Revision: 06/22/2015

		11. Toxicologi	cal Informat	ion		
•		No data available.				
Sensitization	:	Skin sensitization.				
		12. Ecologica	al Informatio	n		
		No data available.				
		13. Disposal C				
Waste Dispo	Waste Disposal Method: Observe all federal, state, and local environmental regulations.					
		14. Transpor	t Informatio	n		
DOT Prop Name: DOT Haza UN/NA Nu MARINE TR IMDG/IM0 AIR TRANSF ICAO/IAT Name:	umber: ANSPORT (IM D Shipping Na PORT (ICAO/IA A Shipping perfund Amendn Hazardous Com	Not Regulated. DG/IMO): ame: Not Regulated. ATA): Not Regulated. <u>15. Regulator</u> hents and Reauthorization Act ponents (Chemical Name)		<b>S. 304 RQ</b> No	<b>S. 313 (TRI)</b> No	
25068-38-6Bisphenol-a based epoxy resinCAS #Hazardous Components (Chemical Name)25068-38-6Bisphenol-a based epoxy resin			Other US EPA or State Lists TSCA: Yes - Inventory			
		16 Other I	nformation			
Revision Date:		12/30/2015				
Additional Information About This Product:		No data available.				
Company Policy or Disclaimer:		The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.				