

Page: 1 of 5

Revision: 07/19/2016 Supersedes Revision: 06/15/2015

1. Product and Company Identification

0765 **Product Code: Product Name:** 0765

Appli-Tec, Inc **Phone Number:** Company Name: (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Contact medical emergency services **Emergency Contact:**

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Acute Toxicity: Inhalation, Category 3 Skin Corrosion/Irritation, Category 3 Respiratory Sensitization, Category 1 Skin Sensitization, Category 1 Carcinogenicity, Category 2





GHS Signal Word: Danger

GHS Hazard Phrases: H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H331 - Toxic if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 - Suspected of causing cancer.

P201 - Obtain special instructions before use. **GHS Precaution Phrases:**

P202 - Do not handle until all safety precautions have been read and

understood.

P261 - Avoid breathing vapors, mist, or spray.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. **GHS Response Phrases:**

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P308+313 - IF exposed or concerned: Get medical attention/advice. P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

Page: 2 of 5

Revision: 07/19/2016 Supersedes Revision: 06/15/2015

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact:Causes eye irritation.Ingestion:Harmful if swallowed.Additional InformationNo data available.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

NA nonhazardous ingredients per OSHA Standard 29 30.0 -40.0 %

CFR 1910.1200

 112945-52-5
 Silica, amorphous treated
 5.0 -10.0 %

 26471-62-5
 Toluene diisocyanate (mixed isomers)
 1.0 -9.0 %

 13463-67-7
 Titanium dioxide
 0.1 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

Page: 3 of 5

Limits

Revision: 07/19/2016 Supersedes Revision: 06/15/2015

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Evacuate personnel to safe areas. Discharge into the environment must be avoided. Ventilate the area. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Prevent further leakage or spillage if safe to do so. Use proper personal protective equipment as indicated in Section 8.

7. Handling and Storage

Evnosura Controls/Personal Protection

Precautions To Be Taken

in Handling:

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid

ingestion and inhalation. Wash thoroughly after handling.

Precautions To Be Taken

in Storing:

NA

CAS#

6. Exposure Controls/1 ersonal i rotection			
Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Li
nonhazardous ingredients per OSHA	No data.	No data.	No data.

Standard 29 CFR 1910.1200 No data. No data. 112945-52-5 Silica, amorphous treated No data. 26471-62-5 Toluene diisocyanate (mixed isomers) No data. No data. No data.

PEL: 15 (dust) mg/m3 TLV: 10 mg/m3 13463-67-7 Titanium dioxide No data.

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eve Protection:**

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Store at \leq -40deg.C.

Engineering Controls

(Ventilation etc.):

Use adequate ventilation to keep airborne concentrations low. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

[] Gas [X] Liquid [] Solid **Physical States:**

Appearance: White. Liquid. Appearance and Odor:

Odor: weak odor.

No data. **Melting Point: Boiling Point:** No data. > 93.00 C Flash Pt: No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.

LEL: No data. **Explosive Limits:** UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Page: 4 of 5

Revision: 07/19/2016 Supersedes Revision: 06/15/2015

Specific Gravity (Water = No data.

1):

Solubility in Water:No data.Percent Volatile:No data.Autoignition Pt:No data.

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use

Incompatibility - Materials Alcohols. Water, Strong bases, Oxidizing materials.

To Avoid:

Hazardous Decomposition Carbon oxides, nitrogen oxides (NOx).

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Sensitization: Respiratory and skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Isocyanates, toxic, n.o.s. (m-tolylidene diisocyanate)

Name:

DOT Hazard Class: 6.1 POISON

UN/NA Number: UN2206 Packing Group: III

POISON 6

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Isocyanates, toxic, n.o.s. (m-tolylidene diisocyanate)

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Isocyanates, toxic, n.o.s. (m-tolylidene diisocyanate)

Name:



Page: 5 of 5

Revision: 07/19/2016 Supersedes Revision: 06/15/2015

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

Hazardous Components (Chemical Name) CAS# S. 302 (EHS) S. 304 RQ S. 313 (TRI) nonhazardous ingredients per OSHA Standard 29 NA No No No

CFR 1910.1200

112945-52-5 Silica, amorphous treated No No No

Toluene diisocyanate (mixed isomers) Yes 100 LB Yes-Cat. N106 26471-62-5 No

13463-67-7 Titanium dioxide No No No

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

NA nonhazardous ingredients per OSHA Standard 29 TSCA: No

CFR 1910.1200

112945-52-5 Silica, amorphous treated TSCA: Yes - Inventory

TSCA: Yes - Inventory, 8A CAIR, 8C, 8D TERM 26471-62-5 Toluene diisocyanate (mixed isomers)

13463-67-7 Titanium dioxide TSCA: Yes - Inventory

16. Other Information

07/19/2016 **Revision Date:**

Additional Information About This Product:

Company Policy or Disclaimer:

No data available.

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any

other product or any other process is the responsibility of the user.