

Page: 1 of 6

Revision: 07/19/2016 Supersedes Revision: 02/01/2016

1. Product and Company Identification

Product Code: 0767 Product Name: 0767

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B
Serious Eye Damage/Eye Irritation, Category 1
Skin Sensitization, Category 1
Respiratory Sensitization, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

GHS Precaution Phrases: P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to local or national regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Page: 2 of 6

Revision: 07/19/2016 Supersedes Revision: 02/01/2016

Potential Health Effects (Acute and Chronic):

Inhalation: Inhalation of vapor from heated material or mist may cause irritation of the

respiratory tract, experienced as nasal discomfort and discharge, with chest pain

and coughing. Causes respiratiory sensitization.

Skin Contact:Causes skin burns. May cause allergic skin reaction.Eye Contact:Causes eye irritation. Causes serious eye damage.Ingestion:This material may be harmful or fatal if swallowed.

Additional Information Percentage of mixture consisting of ingredients of unknown toxicity:9.85

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
NA	Proprietary epoxy resin	50.0 -85.0 %
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	10.0 -20.0 %
NA	Butadiene-Acrylic Copolymer	1.0 -9.0 %
NA	Modified Epoxy Resin	1.0 -9.0 %
NA	Proprietary Substituted Piperazine	1.0 -9.0 %
65997-17-3	Fibrous glass	0.1 -5.0 %
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	0.1 -5.0 %
111-40-0	Diethylenetriamine	0.1 -1.0 %
NA	Silane Derivative	0.1 -1.0 %
13463-67-7	Titanium dioxide	0.0 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Immediately flush with large amounts of water. Use soap if available. Remove

contaminated clothing, including shoes, after flushing has begun. Get prompt

medical attention.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the

upper and lower eyelids. Get medical attention immediately.

In Case of Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Note to Physician: Treat symptomatically and supportively.



Revision: 07/19/2016 Supersedes Revision: 02/01/2016

5. Fire Fighting Measures

Flash Pt: > 93.00 C

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: No data.

Suitable Extinguishing

Use water fog, dry chemical, carbon dioxide, or regular foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

No data available. **Hazardous Combustion**

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate the area. Use proper personal protective equipment as indicated in Section 8. Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided. Absorb spill with inert material

(e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

Avoid contact with eyes, skin, and clothing. Avoid breathing dust, vapor, mist, or

gas. Wash thoroughly after handling.

Precautions To Be Taken

Store at <= -40deg.C.

in Storing:

in Handling:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
NA	Proprietary epoxy resin	No data.	No data.	No data.
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamin e)	No data.	No data.	No data.
NA	Butadiene-Acrylic Copolymer	No data.	No data.	No data.
NA	Modified Epoxy Resin	No data.	No data.	No data.
NA	Proprietary Substituted Piperazine	No data.	No data.	No data.
65997-17-3	Fibrous glass	No data.	TLV: 1 f/cc (fibers)	No data.
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No data.	No data.	No data.
111-40-0	Diethylenetriamine	No data.	TLV: 1 ppm	No data.
NA	Silane Derivative	No data.	No data.	No data.
13463-67-7	Titanium dioxide	PEL: 15 (dust) mg/m3	TLV: 10 mg/m3	No data.



Revision: 07/19/2016 Supersedes Revision: 02/01/2016

Respiratory Equipment

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection:

Safety glasses.

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure.

Use adequate general or local exhaust ventilation to keep airborne

Other Protective Clothing: Wear appropriate clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

concentrations below the permissible exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

thoroughly after handling.

9. Physical and Chemical Properties

Physical States:

[] Solid [X]Liquid [] Gas

Appearance and Odor:

Appearance: Blue. Liquid. Odor: ammonia-like.

Melting Point: Boiling Point:

No data. > 93.00 C

No data.

Evaporation Rate:

No data.

Flammability (solid, gas): No data available. **Explosive Limits:**

LEL: No data.

Flash Pt:

UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water =

No data.

1):

Solubility in Water: **Percent Volatile:**

No data. No data.

Autoignition Pt:

No data.

10. Stability and Reactivity

Stability:

Unstable [X]

Stable []

Conditions To Avoid -

Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

use.

Incompatibility - Materials Strong oxidizing agents, Strong acids.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:





Page: 5 of 6

Revision: 07/19/2016 Supersedes Revision: 02/01/2016

11. Toxicological Information

Toxicological Information: No data available.

Sensitization: Respiratory and skin sensitization.

Carcinogenicity/Other

Information:

Ingredient CAS# 13463-67-7: IARC: Group 2B carcinogen.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Amine, liquid, corrosive, n.o.s. (Diethylene glycol di-(3-aminopropyl) ether,

Name: Substituted piperazine)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: II



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Amine, liquid, corrosive, n.o.s. (Diethylene glycol di-(3-aminopropyl) ether,

Substituted piperazine)

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Amine, liquid, corrosive, n.o.s. (Diethylene glycol di-(3-aminopropyl) ether,

Name: Substituted piperazine)

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Proprietary epoxy resin	No	No	No
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	No	No	No
NA	Butadiene-Acrylic Copolymer	No	No	No
NA	Modified Epoxy Resin	No	No	No
NA	Proprietary Substituted Piperazine	No	No	No
65997-17-3	Fibrous glass	No	No	No
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	No
111-40-0	Diethylenetriamine	No	No	No
NA	Silane Derivative	No	No	No
13463-67-7	Titanium dioxide	No	No	No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lis	ists
--	------

NA	Proprietary epoxy resin	ISCA: Yes - Inventory
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	TSCA: Yes - Inventory
NA	Butadiene-Acrylic Copolymer	TSCA: Yes - Inventory



Page: 6 of 6

Revision: 07/19/2016 Supersedes Revision: 02/01/2016

NA Modified Epoxy Resin TSCA: Yes - Inventory
NA Proprietary Substituted Piperazine TSCA: Yes - Inventory
65997-17-3 Fibrous glass TSCA: Yes - Inventory

67762-90-7 Siloxanes and silicones, di-me, reaction products TSCA: Yes - Inventory, 8A, 8A PAIR

with silica

111-40-0 Diethylenetriamine TSCA: Yes - Inventory
NA Silane Derivative TSCA: Yes - Inventory
13463-67-7 Titanium dioxide TSCA: Yes - Inventory

16. Other Information

Revision Date: 07/19/2016

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

GHS format