

Page: 1 of 5

Revision: 03/03/2016 Supersedes Revision: 11/06/2015

#### 1. Product and Company Identification

Product Code: 0804F Product Name: 0804F

Company Name: Appli-Tec, Inc Phone Number:

7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Cured parts

## 2. Hazards Identification

Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 2A
Skin Sensitization, Category 1



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

**GHS Precaution Phrases:** P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P501 - Dispose of contents/container according to national and local

Phrases: regulations...

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Potential Health Effects** Operations such as sawing, slicing, grinding and sanding can generate dust. **(Acute and Chronic):** Suppress dust accumulation whenever possible by implementing controls such

as wet processing.

Inhalation: Dust is irritating to the respiratory tract. Harmful if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.
Ingestion: Harmful if swallowed.
Additional Information No data available.



Page: 2 of 5

Revision: 03/03/2016 Supersedes Revision: 11/06/2015

## 3. Composition/Information on Ingredients

**Hazardous Components (Chemical Name)** CAS# Concentration 13463-67-7 Titanium dioxide 35.0 -55.0 % 7440-33-7 Tunasten 5.0 -15.0 % 7631-86-9 Silica 0.0 -9.0 % NA Proprietary epoxy resin 0.1 -5.0 % 21645-51-2 Aluminum hydroxide 0.0 -5.0 % 67762-90-7 Siloxanes and silicones, di-me, reaction products 0.0 -1.0 %

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

**In Case of Skin Contact:** Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

**In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with

water. Get medical aid immediately. Do NOT induce vomiting.

**Note to Physician:** Treat symptomatically and supportively.

### 5. Fire Fighting Measures

Flash Pt: > 93.00 C

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: No data.

**Suitable Extinguishing** 

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

**Products:** 

#### 6. Accidental Release Measures

**Steps To Be Taken In Case** Ensure adequate ventilation. Use proper personal protective equipment as **Material Is Released Or** indicated in Section 8. Vacuum or sweep up material and place into a suitable

**Spilled:** disposal container.

#### 7. Handling and Storage

Precautions To Be Taken Avoid contact with skin and eyes. Use with adequate ventilation. Avoid ingestion

in Handling: and inhalation. Normal measures for preventive fire protection.

Precautions To Be Taken Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

Page: 3 of 5

Revision: 03/03/2016 Supersedes Revision: 11/06/2015

| 8. Exposure C | Controls/Personal | Protection |
|---------------|-------------------|------------|
|---------------|-------------------|------------|

| CAS#       | Partial Chemical Name   | OSHA TWA             | ACGIH TWA                      | Other Limits |
|------------|---|----------------------|--------------------------------|--------------|
| 13463-67-7 | Titanium dioxide  | PEL: 15 (dust) mg/m3 | TLV: 10 mg/m3                  | No data.     |
| 7440-33-7  | Tungsten  | No data.             | TLV: 5 mg/m3<br>STEL: 10 mg/m3 | No data.     |
| 7631-86-9  | Silica  | No data.             | No data.                       | No data.     |
| NA         | Proprietary epoxy resin                                       | No data.             | No data.                       | No data.     |
| 21645-51-2 | Aluminum hydroxide  | No data.             | No data.                       | No data.     |
| 67762-90-7 | Siloxanes and silicones, di-me, reaction products with silica | No data.             | No data.                       | No data.     |

**Respiratory Equipment** 

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. **Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

#### 9. Physical and Chemical Properties

Physical States: [ ] Gas [ ] Liquid [ X ] Solid

Appearance and Odor: Appearance: White. Black specks. Solid.

Odor: weak odor.

Melting Point:No data.Boiling Point:No data.Flash Pt:> 93.00 CEvaporation Rate:No data.

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = ~2

1):

Solubility in Water: No data.

Percent Volatile: 0.0 % by weight.

Autoignition Pt: No data.

Page: 4 of 5

Revision: 03/03/2016 Supersedes Revision: 11/06/2015

10. Stability and Reactivity

Stability: Unstable [ ] Stable [X]

**Conditions To Avoid -**

No data available.

Instability:

**Incompatibility - Materials** No data available.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

**Possibility of Hazardous** 

Will occur [ ]

Will not occur [X]

Reactions:

**Conditions To Avoid -**

No data available.

**Hazardous Reactions:** 

# 11. Toxicological Information

Toxicological Information: No data available. Sensitization: Skin sensitization.

## 12. Ecological Information

No data available.

## 13. Disposal Considerations

**Waste Disposal Method:** Observe all federal, state, and local environmental regulations.

# 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** 

Not Regulated.

Name:

**DOT Hazard Class:** 

**UN/NA Number:** 

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

**AIR TRANSPORT (ICAO/IATA):** 

ICAO/IATA Shipping

Not Regulated.

Name:

## 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS#       | Hazardous Components (Chemical Name)                          | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|------------|---|--------------|-----------|--------------|
| 13463-67-7 | Titanium dioxide  | No           | No        | No           |
| 7440-33-7  | Tungsten  | No           | No        | No           |
| 7631-86-9  | Silica  | No           | No        | No           |
| NA         | Proprietary epoxy resin                                       | No           | No        | No           |
| 21645-51-2 | Aluminum hydroxide  | No           | No        | No           |
| 67762-90-7 | Siloxanes and silicones, di-me, reaction products with silica | No           | No        | No           |



Page: 5 of 5

Revision: 03/03/2016 Supersedes Revision: 11/06/2015

**Hazardous Components (Chemical Name)** CAS# Other US EPA or State Lists

Titanium dioxide 13463-67-7 TSCA: Yes - Inventory 7440-33-7 Tungsten TSCA: Yes - Inventory Silica 7631-86-9 TSCA: Yes - Inventory NA Proprietary epoxy resin TSCA: Yes - Inventory 21645-51-2 Aluminum hydroxide TSCA: Yes - Inventory

67762-90-7 Siloxanes and silicones, di-me, reaction products TSCA: Yes - Inventory, 8A, 8A PAIR

with silica

#### 16. Other Information

03/03/2016 **Revision Date:** 

**Additional Information About This Product:** 

No data available.

**Company Policy or** Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.