

Page: 1 of 5

Revision: 05/19/2016 Supersedes Revision: 06/03/2015

1. Product and Company Identification

Product Code: 3161 Product Name: 3161

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 (603)685-09 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Flammable Liquids, Category 3
Acute Toxicity: Skin, Category 4
Acute Toxicity: Inhalation, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Carcinogenicity, Category 2

Specific Target Organ Toxicity (single exposure), Category 3

Aspiration Toxicity, Category 1

Aquatic Toxicity (Chronic), Category 3







GHS Signal Word: Danger

GHS Hazard Phrases: H226 - Flammable liquid and vapor.

H304 - May be fatal if swallowed and enters airways.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer .

H412 - Harmful to aquatic life with long lasting effects.

GHS Precaution Phrases: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

ınderstood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapors, mist, or spray. P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

P235 - Keep cool.

GHS Response Phrases: P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or



Revision: 05/19/2016 Supersedes Revision: 06/03/2015

doctor/physician.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice.

P331 - Do NOT induce vomiting.

P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. P370+378 - In case of fire, use appropriate media to extinguish.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation:Harmful if inhaled.Skin Contact:Causes skin irritation.Eye Contact:May cause eye irritation.

Ingestion: May be harmful if swallowed. Aspiration of material into the lungs may cause

chemical pneumonitis, which may be fatal.

Additional Information No data available.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration
1330-20-7 Xylene (mixed isomers) 40.0 -50.0 %
100-41-4 Ethylbenzene 1.0 -5.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.



Page: 3 of 5

Revision: 05/19/2016 Supersedes Revision: 06/03/2015

5. Fire Fighting Measures

Flash Pt: < 30.00 C

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of

electrostatic charge. Use only in a well-ventilated area.

Precautions To Be Taken

in Storing:

Keep container tightly closed in a dry and well-ventilated place. Keep away from sources of ignition. Keep from contact with oxidizing materials. Store in a cool.

dry, well-ventilated area away from incompatible substances.

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1330-20-7	Xylene (mixed isomers)	PEL: 100 ppm	TLV: 100 ppm STEL: 150 ppm	No data.
100-41-4	Ethylbenzene	PEL: 100 ppm	TLV: 20 ppm STEL: 125 ppm	No data.

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eye Protection:**

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to minimize contact with skin.

Engineering Controls (Ventilation etc.):

Use adequate ventilation to keep airborne concentrations low. Facilities storing

or utilizing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

Page: 4 of 5

Revision: 05/19/2016 Supersedes Revision: 06/03/2015

9. Physica	l and Chemica	I Properties
------------	---------------	--------------

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: amber. Liquid.

Odor: solvent odor.

Melting Point:No data.Boiling Point:No data.Flash Pt:< 30.00 C</th>Evaporation Rate:No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = ~1

1):

Solubility in Water: No data.

Percent Volatile: No data.

Autoignition Pt: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Instability:

Heat, flames and sparks.

Incompatibility - Materials Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information



Page: 5 of 5

Revision: 05/19/2016 Supersedes Revision: 06/03/2015

LAND TRANSPORT (US DOT):

DOT Proper Shipping Resin Solution.

Name:

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1866 Packing Group: III

FL9MM9BLE LIQUID

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Resin Solution.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Resin Solution.

Name:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

1330-20-7 Xylene (mixed isomers) No Yes 100 LB Yes 100-41-4 Ethylbenzene No Yes 1000 LB Yes

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

1330-20-7 Xylene (mixed isomers) TSCA: Yes - Inventory

100-41-4 Ethylbenzene TSCA: Yes - Inventory, 4 Test

16. Other Information

Revision Date: 05/19/2016

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any

other product or any other process is the responsibility of the user.