Revision: 05/19/2016 Supersedes Revision: 05/18/2015

1. Product and Company Identification			
Product Code:	3162		
Product Name:	3162		
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	Phone Number: (603)685-0500	
Web site address:	www.appli-tec.com		
Emergency Contact: Information:	Contact medical emergency services Call Chemtrec for Transport Info.	(800)424-9300	
Intended Use:	Adhesive		

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 1 Skin Sensitization, Category 1

GHS Signal Word:	Danger
GHS Hazard Phrases:	H314 - Causes severe skin burns and eye damage.
	H317 - May cause an allergic skin reaction.
GHS Precaution Phrases:	P260 - Do not breathe vapors, mist, or spray.
	P264 - Wash hands thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all
	contaminated clothing. Rinse skin with water/shower.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER or doctor/physician.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposa	-
Phrases:	P501 - Dispose of contents/container according to national and local regulations.
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic):	
Inhalation:	May be harmful if inhaled.
Skin Contact:	Causes skin burns. May cause allergic skin reaction.
Eye Contact:	Causes eye burns. Causes serious eye damage.
Ingestion:	Harmful if swallowed.
Additional Information	No data available.



Revision: 05/19/2016 Supersedes Revision: 05/18/2015

3. Composition/Information on Ingredients				
CAS #	Hazardous Components (Chemical Name)	Concentration		
471-34-1	Calcium carbonate	20.0 -40.0 %		
NA	Epoxy resins	20.0 -40.0 %		
NA	Proprietary Amine Aduct	20.0 -35.0 %		
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	1.0 -5.0 %		
61788-32-7	Hydrogenated terphenyls	1.0 -5.0 %		
2426-08-6	Oxirane, (Butoxymethyl)-	0.1 -5.0 %		
1333-86-4	Carbon black	0.1 -1.0 %		
14808-60-7	Quartz	0.0 -1.0 %		
26140-60-3	Terphenyls (o-, m-, p-)	0.0 -1.0 %		
Additional I	Additional Information Exact percentages have been withheld as a trade secret			

Additional Information

n Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid Procedures:			
In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.		
In Case of Skin Contact:	Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.		
In Case of Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.		
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.		
5. Fire Fighting Measures			
Flash Pt:	> 93.00 C		
Explosive Limits:	LEL: No data. UEL: No data.		
Autoignition Pt:	No data.		
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		
Flammable Properties and Hazards:	No data available.		
Hazardous Combustion			



Accidental Release Measures

6

Revision: 05/19/2016 Supersedes Revision: 05/18/2015

	0. Accidental Nelease measures		
Steps To Be Taken In Case Material Is Released Or Spilled:	Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.		
7. Handling and Storage			
Precautions To Be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Use only with adequate ventilation. Normal measures for preventive fire protection.		
Precautions To Be Taken in Storing:	Store at <= -40deg.C.		
8	8 Exposure Controls/Personal Protection		

8. Exposure Controls/Personal Protection					
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
471-34-1	Calcium carbonate		No data.	TLV: 10 mg/m3 (E)	No data.
NA	Epoxy resins		No data.	No data.	No data.
NA	Proprietary Amine	Aduct	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-		No data.	No data.	No data.
61788-32-7	Hydrogenated terphenyls		No data.	No data.	No data.
2426-08-6	Oxirane, (Butoxymethyl)-		PEL: 50 ppm	TLV: 25 ppm	No data.
1333-86-4	Carbon black		PEL: 3.5 mg/m3	TLV: 3.5 mg/m3	No data.
14808-60-7	Quartz		PEL: 8825 ppm/(%SiO2+5)	TLV: 0.05 mg/m3 (R)	No data.
26140-60-3	Terphenyls (o-, m	-, p-)	CEIL: 1 ppm	CEIL: 5 mg/m3	No data.
. , .		Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Eye Protection:		Safety glasses.			
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure.			
Other Prote	ctive Clothing:	Wear appropriate protective clothing to prevent skin exposure.			
Engineering Controls		Use adequate general or local exhaust ventilation to keep airborne			

(Ventilation etc.):

.): concentrations below the permissible exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



SAFETY DATA SHEET 3162

Revision: 05/19/2016 Supersedes Revision: 05/18/2015

	9. Physical and Chemical Properties			
Physical States:	[]Gas [X]Liquid []Solid			
Appearance and Odor:	Appearance: Black. Liquid. Odor: amine-like.			
Melting Point:	No data.			
Boiling Point:	No data.			
Flash Pt:	> 93.00 C			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available.			
Explosive Limits:	LEL: No data. UEL: No data.			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1)	: No data.			
Specific Gravity (Water = 1):	~1.3			
Solubility in Water:	No data.			
Percent Volatile:	No data.			
Autoignition Pt:	No data.			
	10. Stability and Reactivity			
Stability:	Unstable [X] Stable []			
Conditions To Avoid - Instability:	Product will cure at ambient temperatures. Keep in cold storage until ready to use.			
Incompatibility - Materials To Avoid:	Strong oxidizing agents, Strong reducing agents.			
Hazardous Decomposition or Byproducts:	Carbon oxides, Nitrogen oxides.			
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]			
Conditions To Avoid - Hazardous Reactions:	No data available.			
	11. Toxicological Information			
Toxicological Information:	No data available.			
Irritation or Corrosion:	Serious eye damage/irritation. Skin corrosion/irritation.			
Sensitization:	Skin sensitization.			
	12. Ecological Information			
	No data available.			
	13. Disposal Considerations			
Waste Disposal Method:	Observe all federal, state, and local environmental regulations.			
-	14. Transport Information			



Revision: 05/19/2016 Supersedes Revision: 05/18/2015

LAND TRANSPORT (US DOT):						
DOT Proper Shipping Not Regulated. Name: DOT Hazard Class: UN/NA Number:						
MARINE TR	RANSPORT (IMDO	G/IMO):				
IMDG/IN	IO Shipping Nam	e: Environmentally Haza	ardous Substanc	e, Liquid, n.o.s. ((Bisphenol-A	
UN Num Hazard		Epichlorhydrin resin) 3082 9 - CLASS 9	Packing	Group:	111	
			IMDG MFAG Number:			
	MS Page:					
AIR TRANS	PORT (ICAO/IAT/	A):				
ICAO/IA	TA Shipping	Environmentally Haza	rdous Substance	e, Liquid, n.o.s. (Bisphenol-A	
Name: UN Num Hazard (Epichlorhydrin resin) 3082 9 - CLASS 9	Packing (Group:	111	
		15. Regulator	ry Informatio	on		
EPA SARA (S	uperfund Amendmen	ts and Reauthorization Act	of 1986) Lists			
CAS #	Hazardous Compo	nents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
471-34-1	Calcium carbonate		No	No	No	
NA	Epoxy resins		No	No	No	
NA	Proprietary Amine Aduct		No	No	No	
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-		No	No	No	
61788-32-7	Hydrogenated terph	enyls	No	No	No	
2426-08-6	Oxirane, (Butoxyme	thyl)-	No	No	No	
1333-86-4	Carbon black		No	No	No	
14808-60-7	Quartz		No	No	No	
26140-60-3	Terphenyls (o-, m-, p	D-)	No	No	No	
CAS #	Hazardous Compo	nents (Chemical Name)	Other US EPA o	r State Lists		
471-34-1 Calcium carbonate		TSCA: Yes - Inventory				
NA	Epoxy resins		TSCA: No			
NA	Proprietary Amine Aduct		TSCA: Yes - Inventory			
112-24-3			TSCA: Yes - Inventory			
61788-32-7 Hydrogenated terphenyls		TSCA: Yes - Inventory				
2426-08-6	Oxirane, (Butoxyme	thyl)-	TSCA: Yes - Inve	entory, 4 Test, 8A		
1333-86-4	Carbon black		TSCA: Yes - Inve	TSCA: Yes - Inventory		
14808-60-7	2 Quartz		TSCA: Yes - Inventory			
26140-60-3	Terphenyls (o-, m-, p	o-)	TSCA: Yes - Inve	entory		



Revision: 05/19/2016 Supersedes Revision: 05/18/2015

16. Other Information		
Revision Date:	05/19/2016	
Additional Information About This Product:	No data available.	
Company Policy or Disclaimer:	The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.	