

Page: 1 of 5

Revision: 07/26/2016 Supersedes Revision: 11/13/2015

## 1. Product and Company Identification

Product Code: 3195 Product Name: 3195

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

#### 2. Hazards Identification

Skin Corrosion/Irritation, Category 1C Serious Eye Damage/Eye Irritation, Category 1 Skin Sensitization, Category 1





GHS Signal Word: Danger

**GHS Hazard Phrases:** H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

**GHS Precaution Phrases:** P260 - Do not breathe vapors, mist or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

**GHS Response Phrases:** P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

**Phrases:** P501 - Dispose of contents/container according to local and national regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

**Inhalation:** Harmful if inhaled.

**Skin Contact:** May cause allergic skin reaction. Causes skin burns.

Eye Contact: Causes eye burns.

**Ingestion:** May cause irritation of the digestive tract. Harmful if swallowed.

**Additional Information** No data available.



Page: 2 of 5

Revision: 07/26/2016 Supersedes Revision: 11/13/2015

# 3. Composition/Information on Ingredients

**Hazardous Components (Chemical Name)** CAS# Concentration 1344-28-1 Aluminum oxide 60.0 -70.0 % 25068-38-6 Bisphenol-a based epoxy resin 20.0 -30.0 % \*Poly(oxy(methyl-1,2-ethanediyl) 1.0 -10.0 % 9046-10-0

Additional Information Exact percentages have been withheld as a trade secret.

#### **First Aid Measures**

**Emergency and First Aid** 

**Procedures:** 

Remove to fresh air. If not breathing, give artificial respiration. If breathing is In Case of Inhalation:

difficult, give oxygen. Get immediate medical attention.

Remove contaminated clothing. Wash skin with soap and water. Get medical In Case of Skin Contact:

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical attention/advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious In Case of Ingestion:

person. Get medical attention immediately.

Note to Physician: Treat symptomatically and supportively.

#### 5. Fire Fighting Measures

Flash Pt: > 93.00 C

LEL: No data. UEL: No data. **Explosive Limits:** 

**Autoignition Pt:** No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** 

No data available.

**Products:** 

#### 6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. Handling and Storage

Precautions To Be Taken

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid

in Handling:

ingestion and inhalation.

Precautions To Be Taken

Store at <= -40deg.C.

in Storing:

Page: 3 of 5

Revision: 07/26/2016 Supersedes Revision: 11/13/2015

8. Exposure Controls/Personal Protection

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** PEL: 15 (dust); 5 (resp.) 1344-28-1 Aluminum oxide TLV: 10 mg/m3 (E) No data. mg/m3 Bisphenol-a based epoxy resin No data. No data. No data. 25068-38-6

No data. No data. No data. 9046-10-0 \*Poly(oxy(methyl-1,2-ethanediyl)

Respiratory Equipment (Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday. e Practices:

# 9. Physical and Chemical Properties

[ ] Solid [ X ] Liquid Physical States: [ ] Gas

Appearance: Gray. Liquid. Appearance and Odor:

Odor: amine-like.

No data. **Melting Point: Boiling Point:** No data. > 93.00 C Flash Pt: **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water =

1):

Solubility in Water: No data. Percent Volatile: No data. **Autoignition Pt:** No data.

### 10. Stability and Reactivity

Stability: Unstable [X] Stable [ ]

**Conditions To Avoid -**Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

use.

**Incompatibility - Materials** Strong oxidizing agents, Strong acids.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

**Possibility of Hazardous** Will occur [ ] Will not occur [X]

Reactions:

**Conditions To Avoid -**No data available.



Page: 4 of 5

Revision: 07/26/2016 Supersedes Revision: 11/13/2015

#### **Hazardous Reactions:**

11. Toxicological Information

Toxicological Information: No data available.

**Irritation or Corrosion:** Serious eye damage/irritation. Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

General Ecological Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

**Information:** environment.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

**14. Transport Information** 

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

Name:

**DOT Hazard Class:** 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: III

CORROSIVE 8

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

**AIR TRANSPORT (ICAO/IATA):** 

ICAO/IATA Shipping AMINES, LIQUID, CORROSIVE, N.O.S. (Polyoxypropylenediamine)

Name:

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1	Aluminum oxide	No	No	Yes
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

1344-28-1	Aluminum oxide	TSCA: Yes - Inventory
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Yes - Inventory
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	TSCA: Yes - Inventory



Page: 5 of 5

Revision: 07/26/2016 Supersedes Revision: 11/13/2015

## 16. Other Information

**Revision Date:** 

07/26/2016

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.