

Page: 1 of 6

Revision: 05/20/2016 Supersedes Revision: 06/09/2015

## 1. Product and Company Identification

Product Code: 3208 Product Name: 3208

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 (603)68 Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

## 2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 1 Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation.

**GHS Precaution Phrases:** P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

**GHS Response Phrases:** P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Page: 2 of 6

Revision: 05/20/2016 Supersedes Revision: 06/09/2015

Potential Health Effects (Acute and Chronic):

**Inhalation:** Harmful if inhaled.

**Skin Contact:** Causes skin burns. May cause allergic skin reaction. **Eye Contact:** Causes eye burns. Causes serious eye damage.

Ingestion:Harmful if swallowed.Additional InformationNo data available.

## 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
25068-38-6	Bisphenol-a based epoxy resin	40.0 -50.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	1.0 -5.0 %
13463-67-7	Titanium dioxide	0.1 -1.0 %
7631-86-9	Silica	0.0 -1.0 %
21645-51-2	Aluminum hydroxide	0.0 -0.1 %

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

**Note to Physician:** Treat symptomatically and supportively.

## 5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

**Suitable Extinguishing** Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

**Products:** 



Revision: 05/20/2016 Supersedes Revision: 06/09/2015

#### 6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. Handling and Storage

**Precautions To Be Taken** in Handling:

Use only with adequate ventilation. Keep away from combustible materials, heat, sparks, and open flame. Avoid contact with skin and eyes. Avoid inhalation of

vapor or mist. Normal measures for preventive fire protection.

Precautions To Be Taken

Store at  $\leq$  -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection					
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits	
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.	
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.	
13463-67-7	Titanium dioxide	PEL: 15 (dust) mg/m3	TLV: 10 mg/m3	No data.	
7631-86-9	Silica	No data.	No data.	No data.	
21645-51-2	Aluminum hydroxide	No data.	No data.	No data.	

Respiratory Equipment

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate clothing to prevent skin exposure.

**Engineering Controls** 

(Ventilation etc.):

Use process enclosure, local exhaust ventilation, or other engineering controls to

control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

# 9. Physical and Chemical Properties

[X] Liquid [ ] Solid [ ] Gas Physical States:

Appearance: White, Paste, Appearance and Odor:

Odor: sulfurous odor.

**Melting Point:** No data. **Boiling Point:** No data. Flash Pt: > 93.00 C **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. UEL: No data. **Explosive Limits:** 

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Page: 4 of 6

Revision: 05/20/2016 Supersedes Revision: 06/09/2015

Specific Gravity (Water = ~1.1

1):

Solubility in Water: No data. No data. Percent Volatile: **Autoignition Pt:** No data.

10. Stability and Reactivity

Stability: Unstable [X] Stable [ ]

**Conditions To Avoid -**Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

Incompatibility - Materials Water, Strong bases, Alcohols, Oxidizing materials.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [ ] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

**Hazardous Reactions:** 

11. Toxicological Information

**Toxicological Information:** No data available.

**Irritation or Corrosion:** Serious eye damage/irritation. Skin corrosion/irritation.

Skin sensitization. Sensitization:

12. Ecological Information

No data available.

13. Disposal Considerations

**Waste Disposal Method:** Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** 

Name:

Environmentally Hazardous Substance, Liquid, N.O.S. (contains FATTY ACIDS, C18-UNSATD. DIMERS, POLYMERS WITH TALL-OIL FATTY

ACIDS AND TRIETHYLENETETRAMINE)

**DOT Hazard Class:** CLASS 9

UN3082 Ш UN/NA Number: Packing Group:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (contains FATTY

ACIDS, C18-UNSATD. DIMERS, POLYMERS WITH TALL-OIL FATTY

ACIDS AND TRIETHYLENETETRAMINE)

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping

Environmentally Hazardous Substance, Liquid, N.O.S. (contains FATTY ACIDS, C18-UNSATD. DIMERS, POLYMERS WITH TALL-OIL FATTY Name:

ACIDS AND TRIETHYLENETETRAMINE)



Page: 5 of 6

Revision: 05/20/2016 Supersedes Revision: 06/09/2015

# 15. Regulatory Information

EPA SARA (Superfund Amendments and	Reauthorization Act of 1986) Lists
------------------------------------	------------------------------------

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No
13463-67-7	Titanium dioxide	No	No	No
7631-86-9	Silica	No	No	No
21645-51-2	Aluminum hydroxide	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Yes - Inventory
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Yes - Inventory
13463-67-7	Titanium dioxide	TSCA: Yes - Inventory
7631-86-9	Silica	TSCA: Yes - Inventory

## 16. Other Information

**Revision Date:** 05/20/2016

Aluminum hydroxide

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

21645-51-2

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

TSCA: Yes - Inventory