

SAFETY DATA SHEET 3231A

Page: 1 of 5

Revision: 07/27/2016 Supersedes Revision: 02/25/2016

1. Product and Company Identification

Product Code: 3231A Product Name: 3231A

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Resin for two part adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

GHS Precaution Phrases: P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

Emergency Overview:

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



SAFETY DATA SHEET 3231A

Page: 2 of 5

Revision: 07/27/2016 Supersedes Revision: 02/25/2016

Potential Health Effects (Acute and Chronic):

Harmful if inhaled. Inhalation:

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Harmful if swallowed. Ingestion: **Additional Information** No data available.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name) Concentration CAS#

25068-38-6 Bisphenol-a based epoxy resin 100.0 %

Additional Information

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Remove contaminated clothing. Wash skin with soap and water. Get medical In Case of Skin Contact:

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical aid.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

5. Fire Fighting Measures

Flash Pt: 251.00 C

LEL: No data. **Explosive Limits:** UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth),

then place in a chemical waste container.

Page: 3 of 5



SAFETY DATA SHEET 3231A

Revision: 07/27/2016 Supersedes Revision: 02/25/2016

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with skin and eyes. Use only in a well-ventilated area. Avoid

ingestion and inhalation.

Precautions To Be Taken

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

8. Exposure Controls/Personal Protection

ACGIH TWA Partial Chemical Name OSHA TWA Other Limits CAS# 25068-38-6 Bisphenol-a based epoxy resin No data. No data.

Respiratory Equipment

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or

utilizing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid Appearance: Clear. Viscous. Liquid. Appearance and Odor:

No data. **Melting Point: Boiling Point:** No data. 251.00 C Flash Pt: **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water =

1):

No data. Solubility in Water: Percent Volatile: No data. **Autoignition Pt:** No data.

10. Stability and Reactivity

Stable [X] Unstable [] Stability:

Conditions To Avoid -

Instability:

Excess heat.

Incompatibility - Materials Strong oxidizing agents, Strong acids, aliphatic amines.

To Avoid:

Hazardous Decomposition Carbon oxides.

or Byproducts:

Will occur [] Possibility of Hazardous Will not occur [X]



SAFETY DATA SHEET 3231A

Page: 4 of 5

Revision: 07/27/2016 Supersedes Revision: 02/25/2016

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. **Sensitization:** Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping

Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Not Regulated.

Name:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

25068-38-6 Bisphenol-a based epoxy resin No No No No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

25068-38-6 Bisphenol-a based epoxy resin TSCA: Yes - Inventory

16. Other Information

Revision Date: 07/27/2016

Additional Information
About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable

technical bulletin, or which involves using the product in combination with any

other product or any other process is the responsibility of the user.