

Page: 1 of 5

Revision: 03/16/2016 Supersedes Revision: 03/11/2016

## 1. Product and Company Identification

Product Code: 3237 Product Name: 3237

Company Name: Appli-Tec, Inc

Appli-Tec, Inc
7 Industrial Way Unit 1

Phone Number:
(603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

## 2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

11319 - Gauses serious eye imalion.

**GHS Precaution Phrases:** P261 - Avoid breathing vapors, mist or spray. P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P501 - Dispose of contents/container acording to national and local regulations.

Phrases:

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

**Inhalation:** May be harmful if inhaled.

**Skin Contact:** Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed.

**Additional Information** No data available.



Page: 2 of 5

Revision: 03/16/2016 Supersedes Revision: 03/11/2016

## 3. Composition/Information on Ingredients

Concentration CAS# **Hazardous Components (Chemical Name)** 

Proprietary epoxy resin 65.0 -100.0 % NA

159120-95-3 Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl-, 0.1 -1.0 %

bis[(OC-6-11)-hexafluoroantimonate(1-)], mixt.

with diphenyl[4-(phenylthio)pheny

Exact percentages have been withheld as a trade secret. Additional Information

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Remove contaminated clothing. Wash skin with soap and water. Get medical In Case of Skin Contact:

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious In Case of Ingestion:

person. Get medical advice/attention.

#### 5. Fire Fighting Measures

> 130.00 C Flash Pt:

**Explosive Limits:** LEL: No data. UEL: No data.

**Autoignition Pt:** No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** 

No data available.

**Products:** 

#### 6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Do not breathe vapor. Use only with

adequate ventilation. Wash thoroughly after handling.

Precautions To Be Taken

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

Protect from sunlight.

## 8. Exposure Controls/Personal Protection

Page: 3 of 5

Revision: 03/16/2016

Supersedes Revision: 03/11/2016

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** 

No data. No data. No data. NA Proprietary epoxy resin 159120-95-3 Sulfonium, No data. No data. No data.

> (thiodi-4,1-phenylene)bis[diphenyl-, bis[(OC-6-11)-hexafluoroantimonate(1-)

], mixt. with

diphenyl[4-(phenylthio)pheny

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if **Respiratory Equipment** 

exposure limits are exceeded or if irritation or other symptoms are experienced. (Specify Type):

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices: thoroughly after handling.

#### 9. Physical and Chemical Properties

[X] Liquid Physical States: [ ] Gas [ ] Solid

Appearance: Clear. Liquid. Appearance and Odor:

Odor: weak odor.

No data. **Melting Point: Boiling Point:** No data. > 130.00 C Flash Pt: **Evaporation Rate:** No data.

No data available. Flammability (solid, gas):

**Explosive Limits:** LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water =

1):

Solubility in Water: No data. Percent Volatile: No data. No data. **Autoignition Pt:** 

## 10. Stability and Reactivity

Stability: Unstable [ ] Stable [X]

Keep away from heat, sparks and open flame. direct sunlight. Conditions To Avoid -

Instability:

**Incompatibility - Materials** Oxidizing agents. Acids. bases, Amines.

To Avoid:

Hazardous Decomposition Carbon oxides, Sulfur oxides, Phosphorous oxides, Aldehydes, Hydrogen

fluoride, antimony/antimony oxides, Phenolics. or Byproducts:

Possibility of Hazardous

Reactions:

Will occur [ ] Will not occur [X]

Conditions To Avoid -No data available.

Hazardous Reactions:



Page: 4 of 5

Revision: 03/16/2016 Supersedes Revision: 03/11/2016

## 11. Toxicological Information

**Toxicological Information:** No data available. **Sensitization:** Skin sensitization.

## 12. Ecological Information

No data available.

## 13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

### **14. Transport Information**

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol-A

Epichlorohydrin resin)

UN Number: 3082 Packing Group: III

Hazard Class: 9 - CLASS 9

IMDG MFAG Number:

IMDG EMS Page:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol-A

Name: Epichlorohydrin resin)

UN Number: 3082 Packing Group: III

Hazard Class: 9 - CLASS 9

## 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

NA Proprietary epoxy resin No No No

159120-95-3 Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl-, No No Yes-Cat. N010

bis[(OC-6-11)-hexafluoroantimonate(1-)], mixt.

with diphenyl[4-(phenylthio)pheny

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

NA Proprietary epoxy resin TSCA: Yes - Inventory

159120-95-3 Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl-, TSCA: Yes - Inventory

bis[(OC-6-11)-hexafluoroantimonate(1-)], mixt.

with diphenyl[4-(phenylthio)pheny



Page: 5 of 5

Revision: 03/16/2016 Supersedes Revision: 03/11/2016

## 16. Other Information

**Revision Date:** 

03/16/2016

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.