Revision: 07/20/2017

1. Product and Company Identification				
Product Code:	3271			
Product Name:	3271			
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	Phone Number: (603)685-0500		
Web site address:	www.appli-tec.com			
Emergency Contact: Information:	Contact medical emergency services Call Chemtrec for Transport Info.	(800)424-9300		
Intended Use:	Adhesive			

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 1 Skin Sensitization, Category 1

GHS Signal Word:	Danger
GHS Hazard Phrases:	H314 - Causes severe skin burns and eye damage.
	H317 - May cause an allergic skin reaction.
GHS Precaution Phrases:	P260 - Do not breathe vapors, mist, or spray.
	P264 - Wash hands thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER or doctor/physician.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposa	I P405 - Store locked up.
Phrases:	P501 - Dispose of contents/container according to national and local regulations.
Emergency Overview: OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic):	
Inhalation:	Harmful if inhaled.
Skin Contact:	Causes skin burns. May cause allergic skin reaction.
Eye Contact:	Causes eye burns. Causes serious eye damage.
Ingestion:	Harmful if swallowed.
Additional Information	No data available.



	3	. Composition/Info	ormation on Ingredients	
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration	
1344-28-1	Aluminum oxide		65.0 -75.0 %	
25068-38-6	Bisphenol-a based epoxy resin		15.0 -30.0 %	
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)		5.0 -10.0 %	
2426-08-6	Oxirane, (Butoxymethyl)-		0.0 -1.0 %	
1333-86-4	Carbon black		0.0 -1.0 %	
Additional I	nformation	Exact percentages have	been withheld as a trade secret.	
		4. First A	Aid Measures	
Emergency Procedures	and First Aid			
In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respirat difficult, give oxygen. Get immediate medical attention.				
In Case of Skin Contact: Remove contaminated clothing. attention. Wash contaminated cl			thing. Wash skin with soap and water. Get medical ated clothing before reuse.	
In Case of I	Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.		
In Case of I	ngestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.		
5. Fire Fighting Measures				
Flash Pt:		> 93.00 C		
Explosive L	_imits:	LEL: No data.	UEL: No data.	
Autoignitio	n Pt:	No data.		
Suitable Ex Media:	tinguishing	Use water spray, dry chemical, carbon dioxide, or appropriate foam.		

Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
Flammable Properties and Hazards:	No data available.

Hazardous Combustion No data available.

Products:

6. Accidental Release Measures

Steps To Be Taken In CaseEnsure adequate ventilation. Isolate area and deny entry. Do not let productMaterial Is Released OrEnsure adequate ventilation. Isolate area and deny entry. Do not let productSpilled:enter drains. Prevent further leakage or spillage if safe to do so. Use properpersonal protective equipment as indicated in Section 8. Absorb spill with inertmaterial (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation.
Precautions To Be Taken in Storing:	Store at <= -40deg.C.



Revision: 07/20/2017

	8.	Exposure Co	ontrols/Persona	al Protection	
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide		PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
25068-38-6 I	Bisphenol-a based	l epoxy resin	No data.	No data.	No data.
	3,3'-Oxybis(ethyle e)	neoxy)bis(propylamin	No data.	No data.	No data.
2426-08-6	Oxirane, (Butoxym	nethyl)-	PEL: 50 ppm	TLV: 3 ppm	No data.
1333-86-4	Carbon black		PEL: 3.5 mg/m3	TLV: 3 mg/m3 (IHL)	No data.
Engineering ((Ventilation e	e): on: oves: tive Clothing: Controls etc.):	exposure limits are Safety glasses. Wear appropriate Wear appropriate Use adequate gen concentrations bel utilizing this mater shower. Handle in accorda	e exceeded or if irrita protective gloves to protective clothing to heral or local exhaust low the permissible e ial should be equipp	ndard EN 149 approved ation or other symptoms prevent skin exposure. prevent skin exposure. t ventilation to keep airbo exposure limits. Facilities ed with an eyewash faci	are experienced. orne s storing or lity and a safety
e i factices.		thoroughly after ha	andling.		
			andling. and Chemical P	roperties	
Physical Stat	es:		and Chemical P	roperties	
		9. Physical a	and Chemical P .iquid [] Solid	roperties	
Physical Stat Appearance a Melting Point	and Odor:	9. Physical a []Gas [X]L Appearance: Black Odor: weak odor. No data.	and Chemical P .iquid [] Solid	roperties	
Physical Stat Appearance a Melting Point Boiling Point	and Odor:	9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data.	and Chemical P .iquid [] Solid	roperties	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt:	and Odor: :: :	9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C	and Chemical P .iquid [] Solid	roperties	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I	and Odor: :: : Rate:	9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. > 93.00 C No data.	and Chemical P .iquid [] Solid k. Liquid.	roperties	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability	and Odor: :: : Rate: (solid, gas):	9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C No data. No data. No data.	and Chemical P .iquid [] Solid k. Liquid.	•	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability Explosive Lin	and Odor: :: : Rate: (solid, gas): nits:	 9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C No data. No data. No data. No data. LEL: No data. 	and Chemical P .iquid [] Solid k. Liquid.	P roperties	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability Explosive Lin Vapor Pressu mm Hg):	and Odor: :: Rate: (solid, gas): nits: ure (vs. Air or	 9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C No data. No data available. LEL: No data. No data. 	and Chemical P .iquid [] Solid k. Liquid.	•	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability Explosive Lin Vapor Pressu mm Hg): Vapor Densit	and Odor: :: : Rate: (solid, gas): nits:	 9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C No data. No data available. LEL: No data. No data. No data. 	and Chemical P .iquid [] Solid k. Liquid.	•	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability Explosive Lin Vapor Pressumm Hg): Vapor Densit Specific Grav	and Odor: :: Rate: (solid, gas): nits: ure (vs. Air or y (vs. Air = 1): vity (Water =	 9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. No data. > 93.00 C No data. No data available. LEL: No data. No data. No data. 	and Chemical P .iquid [] Solid k. Liquid.	•	
Physical Stat Appearance a Melting Point Boiling Point Flash Pt: Evaporation I Flammability Explosive Lin Vapor Pressumm Hg): Vapor Densit Specific Grav 1):	and Odor: :: Rate: (solid, gas): nits: ure (vs. Air or y (vs. Air = 1): vity (Water =	 9. Physical a [] Gas [X] L Appearance: Black Odor: weak odor. No data. > 93.00 C No data. No data available. LEL: No data. No data. No data. No data. 	and Chemical P .iquid [] Solid k. Liquid.	•	



1333-86-4

Carbon black

SAFETY DATA SHEET 3271

Page: 4 of 5

Revision: 07/20/2017

		10 Stability	and Reportivit	hy	
		10. Stability a		LY	
Stability:		Unstable [X] Stable [-		
Conditions	To Avoid -	Product will cure at ambie use.	ent temperatures	. Keep in cold s	storage until ready to
Incompatibi To Avoid:	lity - Materials	Strong oxidizing agents, S	Strong reducing a	agents.	
Hazardous I or Byproduc	•	Carbon oxides, Nitrogen o	oxides.		
	of Hazardous	Will occur [] Will no	t occur [X]		
Conditions [•] Hazardous I		No data available.			
		11. Toxicologi	cal Informati	ion	
Toxicologic	al Information:	No data available.			
Irritation or	Corrosion:	Serious eye damage/irrita	tion. Skin corros	ion/irritation.	
Sensitizatio	n:	Skin sensitization.			
		12. Ecologica	al Informatio	n	
		No data available.			
		13. Disposal C	Consideratio	ns	
Waste Dispo	osal Method:	Observe all federal, state,	and local enviro	nmental regula	tions.
		14. Transpor	t Informatio	n	
LAND TRAN	SPORT (US D	OT):			
	per Shipping	Amines, liquid, corrosi	ve, n.o.s. (Diethy	/lene glycol di-(3-aminopropyl) ether)
Name:					
DOT					
	zard Class: lumber:		ROSIVE Packing (Group:	11
DOT Haz UN/NA N		8 CORF UN2735	ROSIVE Packing (Group:	II
UN/NA N MARINE TF	lumber: RANSPORT (IM	UN2735 CORROSIVE 8 DG/IMO):	Packing (
UN/NA N MARINE TF IMDG/IN	lumber: RANSPORT (IM 10 Shipping Na	UN2735	Packing (
UN/NA N MARINE TF IMDG/IN AIR TRANS	lumber: RANSPORT (IM	UN2735	Packing (ylene glycol di-((3-aminopropyl) ether)
UN/NA N MARINE TF IMDG/IN AIR TRANS ICAO/IA	lumber: RANSPORT (IM 10 Shipping Na PORT (ICAO/IA	UN2735 CORROSIVE B DG/IMO): ame: Amines, liquid, corros ATA):	Packing (ive, n.o.s. (Dieth ve, n.o.s. (Diethy	ylene glycol di-(ylene glycol di-((3-aminopropyl) ether)
UN/NA N MARINE TF IMDG/IW AIR TRANS ICAO/IA Name:	lumber: RANSPORT (IM IO Shipping Na PORT (ICAO/IA TA Shipping	UN2735 CORROSING DG/IMO): ame: Amines, liquid, corros ATA): Amines, liquid, corrosi	Packing (ive, n.o.s. (Dieth ve, n.o.s. (Diethy y Informatic	ylene glycol di-(ylene glycol di-((3-aminopropyl) ether)
UN/NA N MARINE TF IMDG/IW AIR TRANS ICAO/IA Name:	Iumber: RANSPORT (IM IO Shipping Na PORT (ICAO/IA TA Shipping	UN2735 UN2735 DG/IMO): ame: Amines, liquid, corros ATA): Amines, liquid, corrosi 15. Regulator	Packing (ive, n.o.s. (Dieth ve, n.o.s. (Diethy y Informatic	ylene glycol di-(ylene glycol di-((3-aminopropyl) ether)
UN/NA N MARINE TR IMDG/IN AIR TRANS ICAO/IA Name: EPA SARA (Se CAS # 1344-28-1	Iumber: RANSPORT (IM IO Shipping Na PORT (ICAO/IA TA Shipping uperfund Amendm Hazardous Com Aluminum oxide	UN2735 UN2735 UDG/IMO): ame: Amines, liquid, corros ATA): Amines, liquid, corrosi 15. Regulator ments and Reauthorization Act sponents (Chemical Name)	Packing (ive, n.o.s. (Dieth ve, n.o.s. (Dieth ve, n.o.s. (Diethy ve, n.o.s. (Diethy)	ylene glycol di-(ylene glycol di-(on S. 304 RQ No	(3-aminopropyl) ether) 3-aminopropyl) ether) S. 313 (TRI) Yes
UN/NA N MARINE TR IMDG/IW AIR TRANS ICAO/IA Name: EPA SARA (Se CAS # 1344-28-1 25068-38-6	Iumber: RANSPORT (IM IO Shipping Na PORT (ICAO/IA TA Shipping uperfund Amendm Hazardous Com Aluminum oxide Bisphenol-a base	UN2735 UN2735 DG/IMO): ame: Amines, liquid, corros ATA): Amines, liquid, corrosi 15. Regulator ments and Reauthorization Act aponents (Chemical Name) ed epoxy resin	Packing C ive, n.o.s. (Dieth ve, n.o.s. (Diethy ry Informatic of 1986) Lists S. 302 (EHS) No No	ylene glycol di-(ylene glycol di-()n S. 304 RQ No No	(3-aminopropyl) ether) 3-aminopropyl) ether) S. 313 (TRI) Yes No
UN/NA N MARINE TR IMDG/IN AIR TRANS ICAO/IA Name: EPA SARA (Se CAS # 1344-28-1	Iumber: RANSPORT (IM IO Shipping Na PORT (ICAO/IA TA Shipping uperfund Amendm Hazardous Com Aluminum oxide Bisphenol-a base	UN2735 UN2735 UDG/IMO): ame: Amines, liquid, corros ATA): Amines, liquid, corrosi 15. Regulator ments and Reauthorization Act sponents (Chemical Name) ed epoxy resin eneoxy)bis(propylamine)	Packing (ive, n.o.s. (Dieth ve, n.o.s. (Dieth ve, n.o.s. (Diethy ve, n.o.s. (Diethy)	ylene glycol di-(ylene glycol di-(on S. 304 RQ No	(3-aminopropyl) ether) 3-aminopropyl) ether) S. 313 (TRI) Yes

No

No

No



CAS #	Hazardous Components (Chemical Name)	Othe
1344-28-1	Aluminum oxide	TSC
25068-38-6	Bisphenol-a based epoxy resin	TSC
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	TSC
2426-08-6	Oxirane, (Butoxymethyl)-	TSC
1333-86-4	Carbon black	TSC
	16. Other	Inforr

07/20/2017

No data available.

er US EPA or State Lists

CA: Yes - Inventory CA: Yes - Inventory CA: Yes - Inventory CA: Yes - Inventory, 4 Test, 8A CA: Yes - Inventory

mation

Revision Date: Additional Information **About This Product: Company Policy or** Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.