

#### SAFETY DATA SHEET 3273B

Page: 1

	1. Product and Company Ide	entification	
Product Code:	3273B		
Product Name:	3273B		
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	<b>Phone Number:</b> (603)685-0500	
Web site address:	www.appli-tec.com		
Emergency Contact: Information: Intended Use:	Contact medical emergency services Call Chemtrec for Transport Info. Hardener for two part adhesive	(800)424-9300	

#### 2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word:	Warning
GHS Hazard Phrases:	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H335 - May cause respiratory irritation.
GHS Precaution Phrases:	P261 - Avoid breathing fume/gas/mist/vapors/spray.
	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P302+352 - IF ON SKIN: Wash with plenty of soap and water.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
	P337+313 - If eye irritation persists, get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposal	P403+233 - Store container tightly closed in well-ventilated place.
Phrases:	P405 - Store locked up.
	P501 - Dispose of contents/container according to local, state and local regulations.



#### SAFETY DATA SHEET 3273B

Revision: 10/11/2017 Supersedes Revision: 10/02/2017

	Composition/Information on Ingradiants
Additional Information	No data available.
Ingestion:	Irritating to mouth, throat and stomach.
Eye Contact:	Causes serious eye irritation.
Skin Contact:	Causes skin irritation. May cause sensitization by skin contact.
Inhalation:	Causes respiratory tract irritation.
Potential Health Effects (Acute and Chronic):	
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.

3. Composition/information on ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68410-23-1	Polyamide based resin	85.0 -100.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	5.0 -10.0 %
112945-52-5	Silica, amorphous treated	0.0 -5.0 %

**Additional Information** 

Exact percentages have been withheld as a trade secret.

4. First Aid Measures		
Emergency and First Aid Procedures:		
In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.	
In Case of Skin Contact:	Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.	
In Case of Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.	
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.	
Note to Physician:	Treat symptomatically and supportively.	
5. Fire Fighting Measures		
Flash Pt:	> 110.00 C	
Explosive Limits:	LEL: No data. UEL: No data.	
Autoignition Pt:	No data.	
Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.	
Flammable Properties and Hazards:	No data available.	



## SAFETY DATA SHEET 3273B

Page: 3

	6. Accidental Release Measures
Steps To Be Taken In Case Material Is Released Or Spilled:	Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale.
Precautions To Be Taken in Storing:	Store in a cool, dry, well-ventilated area away from incompatible substances.

### 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
68410-23-1	Polyamide based	resin	No data.	No data.	No data.
112-24-3	1,2-Ethanediamin N,N'-Bis(2-aminoe	•	No data.	No data.	No data.
112945-52-5	Silica, amorphous	streated	No data.	No data.	No data.
Respiratory (Specify Typ			A or European Standard E or if irritation or other sym		or if exposure
Eye Protection	on:	Safety glasses.			
Protective G	loves:	Wear appropriate p	rotective gloves to prevent	skin exposure.	
Other Protec	tive Clothing:	Wear appropriate p	rotective clothing to preven	nt skin exposure.	
Engineering (Ventilation e		a safety shower. Us	utilizing this material shou se process enclosure, loca airborne levels below recor	l exhaust ventilation, or ot	her engineering
Work/Hygien Practices:	ic/Maintenance	Handle in accordan after handling.	ce with good industrial hyc	jiene and safety practice.	Wash thoroughly
		9. Physical a	and Chemical Pro	perties	
Physical Sta	tes:	9. Physical a		perties	
Physical Sta Appearance		-	quid [] Solid	perties	
-	and Odor:	[ ] Gas [ X ] Lic Appearance: Reddi	quid [] Solid	perties	
Appearance	and Odor: t:	[ ] Gas [ X ] Lio Appearance: Reddi Odor: amine-like.	quid [] Solid	perties	
Appearance Melting Poin	and Odor: t: t:	[ ] Gas [ X ] Lio Appearance: Reddi Odor: amine-like. No data.	quid [] Solid	perties	
Appearance Melting Poin Boiling Point	and Odor: t: t:	[ ] Gas [ X ] Lio Appearance: Reddi Odor: amine-like. No data. No data 0.00 C	quid [] Solid	perties	
Appearance Melting Poin Boiling Point Autoignition	and Odor: t: t: Pt:	[ ] Gas [X] Lio Appearance: Reddi Odor: amine-like. No data. No data 0.00 C No data. > 110.00 C LEL: No data.	quid [] Solid	-	
Appearance Melting Poin Boiling Point Autoignition Flash Pt: Explosive Lin Specific Grav	and Odor: t: t: Pt: mits: vity (Water = 1):	[ ] Gas [ X ] Lio Appearance: Reddi Odor: amine-like. No data. No data 0.00 C No data. > 110.00 C LEL: No data. 0.98	quid [ ] Solid sh. Brown. Paste.	-	
Appearance Melting Poin Boiling Point Autoignition Flash Pt: Explosive Lin Specific Grav	and Odor: t: t: Pt: mits:	[ ] Gas [X] Lio Appearance: Reddi Odor: amine-like. No data. No data 0.00 C No data. > 110.00 C LEL: No data.	quid [ ] Solid sh. Brown. Paste.	-	
Appearance Melting Poin Boiling Poin Autoignition Flash Pt: Explosive Lin Specific Grav Vapor Press mm Hg):	and Odor: t: t: Pt: mits: vity (Water = 1):	[ ] Gas [ X ] Lio Appearance: Reddi Odor: amine-like. No data. No data 0.00 C No data. > 110.00 C LEL: No data. 0.98 No data. No data.	quid [ ] Solid sh. Brown. Paste.	-	
Appearance Melting Poin Boiling Poin Autoignition Flash Pt: Explosive Lin Specific Grav Vapor Press mm Hg):	and Odor: t: t: Pt: mits: vity (Water = 1): ure (vs. Air or ty (vs. Air = 1):	[] Gas [X] Lid Appearance: Reddi Odor: amine-like. No data. No data 0.00 C No data. > 110.00 C LEL: No data. 0.98 No data.	quid [ ] Solid sh. Brown. Paste.	-	



## SAFETY DATA SHEET 3273B

Page: 4

Percent Volatile:	No data.			
10. Stability and Reactivity				
Stability:	Unstable [ ] Stable [ X ]			
Conditions To Avoid - Instability:	Excess heat.			
Incompatibility - Materials To Avoid:	Incompatibility - Materials To Strong oxidizing agents.			
Hazardous Decomposition or Byproducts:	r Carbon oxides, Nitrogen oxides.			
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]			
Conditions To Avoid - Hazardous Reactions:	No data available.			
	11. Toxicological Information			
Toxicological Information:	No data available.			
Sensitization:	Respiratory and skin sensitization.			
	12. Ecological Information			
	No data available.			
13. Disposal Considerations				
Waste Disposal Method:	Observe all federal, state, and local environmental regulations.			
14. Transport Information				
LAND TRANSPORT (US DOT	):			
DOT Proper Shipping Naı DOT Hazard Class: UN/NA Number:	me: Not Regulated.			
MARINE TRANSPORT (IMDO	3/IMO):			
IMDG/IMO Shipping Nam	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty Acid, C-18-unsatd., dimers, reaction products with polyehtylenepolyamines)			
UN Number:	UN3 Packing Group: III			
Hazard Class:	9 - CLASS 9 IMDG MFAG Number:			
IMDG EMS Page:				
AIR TRANSPORT (ICAO/IAT/	۹):			
ICAO/IATA Shipping Nam	<b>ne:</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty Acid, C-18-unsatd.,dimers,reaction products with polyehtylenepolyamines)			
UN Number: Hazard Class:	3082Packing Group:III9 - CLASS 9			



# SAFETY DATA SHEET 3273B

Revision: 10/11/2017 Supersedes Revision: 10/02/2017

15. Regulatory Information					
EPA SARA (S	uperfund Amendments and Reauthorization Act	t of 1986) Lists			
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
68410-23-1	Polyamide based resin	No	No	No	
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No	
112945-52-5	Silica, amorphous treated	No	No	No	
CAS #	Hazardous Components (Chemical Name)	Other US EPA o	r State Lists		
68410-23-1	Polyamide based resin	TSCA: Inventory	,		
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Inventory	,		
112945-52-5	Silica, amorphous treated	TSCA: Inventory	,		

16. Other Information		
Revision Date:	10/11/2017	
Additional Information About No data available. This Product:		
Company Policy or Disclaimer:	The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.	