SAFETY DATA SHEET 5102B

Revision: 10/03/2017 Supersedes Revision: 07/27/2016

	1. Product and Company Iden	ntification
Product Code:	5102B	
Product Name:	5102B	
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	Phone Number: (603)685-0500
Web site address:	www.appli-tec.com	
Emergency Contact: Information:	Contact medical emergency services Call Chemtrec for Transport Info.	(800)424-9300
Intended Use:	Hardener for two part adhesive	

2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1 Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word:	Warning
GHS Hazard Phrases:	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
CHS Procention Phrases	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
GHS Flecaution Fillases.	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	P302+352 - IF ON SKIN: Wash with plenty of soap and water.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P333+313 - If skin irritation or rash occurs, seek medical advice/attention.
	P337+313 - If eye irritation persists, get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposa	P403+233 - Store container tightly closed in well-ventilated place.
Phrases:	P405 - Store locked up.
	P501 - Dispose of contents/container according to national and local regulations.
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.



SAFETY DATA SHEET 5102B

Potential He (Acute and	ealth Effects Chronic):		
Inhalation:		Causes respiratory tract effects if inhaled.	t irritation. May cause sensitization. May cause toxic
Skin Contac	st:	Harmful in contact with skin contact.	skin. Causes skin irritation. May cause sensitization by
Eye Contact	t:	Causes severe eye irrita	ation.
Ingestion:		Harmful if swallowed.	
Additional I	nformation	No data available.	
3. Composition/Information on Ingredients			
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration
68410-23-1	Polyamide based	resin	90.0 -100.0 %
112-24-3	1,2-Ethanediamir	ne, N,N'-Bis(2-aminoethyl)-	5.0 -10.0 %
Additional Ir	nformation	Exact percentages have	been withheld as a trade secret.
4. First Aid Measures			
Emergency Procedures	and First Aid :		
In Case of I	nhalation:		not breathing, give artificial respiration. If breathing is Bet immediate medical attention.

- In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.
- In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.
- In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.
- **Note to Physician:** Treat symptomatically and supportively.

5. Fire Fighting Measures			
Flash Pt:	> 93.00 C		
Explosive Limits:	LEL: No data.	UEL: No data.	
Autoignition Pt:	No data.		
Suitable Extinguishing Media:	Use water spray, dry	chemical, carbon dioxide, or appropriate foam.	
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		
Flammable Properties and Hazards:	No data available.		
Hazardous Combustion Products:	No data available.		



SAFETY DATA SHEET 5102B

Revision: 10/03/2017 Supersedes Revision: 07/27/2016

				Superse	des Revision: 07/27/2016
		6. Accident	al Release N	leasures	
•	e Taken In Case Released Or	suitable container.	Avoid runoff into e ventilation. Use	vermiculite, sand or ear storm sewers and ditche proper personal protect	es which lead to
		7. Hand	dling and Sto	orage	
Precautions in Handling	s To Be Taken :	0,	equate ventilation	nove contaminated cloth . Do not get in eyes, on	0
Precautions in Storing:	s To Be Taken	· · · · ·	• •	ainers tightly closed. Co nd kept upright to preve	
	8.	Exposure Cor	ntrols/Persor	nal Protection	
CAS #	Partial Chemical	Name C	OSHA TWA	ACGIH TWA	Other Limits
68410-23-1	Polyamide based	resin N	lo data.	No data.	No data.
112-24-3	1,2-Ethanediamin N,N'-Bis(2-aminoe		lo data.	No data.	No data.
Respiratory (Specify Ty	Equipment pe):		•	andard EN 149 approve itation or other symptom	•
Eye Protect	ion:	Safety glasses.			
Protective C	Gloves:	Wear appropriate p	rotective gloves to	o prevent skin exposure).
Other Prote	ctive Clothing:	Wear appropriate protective clothing to prevent skin exposure.			
Engineering (Ventilation		•	•	rial should be equipped equate ventilation to kee	-
		9. Physical a	nd Chemical	Properties	
Physical Sta	ates:	[]Gas [X]Lic	uid [] Solid		
Appearance		Appearance: Reddi Odor: amine-like.	sh. Brown. Visco	us. Liquid.	
Melting Poin	nt:	No data.			
Boiling Poir	nt:	No data.			
Flash Pt:		> 93.00 C			
Evaporatior		No data.			
	y (solid, gas):	No data available.			
Explosive L		LEL: No data.		UEL: No data.	
mm Hg):	sure (vs. Air or				
-	ity (vs. Air = 1): avity (Water =	: No data. No data.			
Solubility in	Water:	No data.			
Percent Vol		No data.			
Autoignitio	n Pt:	No data.			



SAFETY DATA SHEET 5102B

Revision: 10/03/2017 Supersedes Revision: 07/27/2016

	10 Stability	and Reactivi	tv	
		and Reactivi	Ly I	
Stability:	Unstable [] Stable	[X]		
Conditions To Avoid Instability:	- Excess heat.			
Incompatibility - Mat To Avoid:	erials Strong oxidizing agents.			
Hazardous Decompo or Byproducts:	osition No data available.			
Possibility of Hazard Reactions:	lous Will occur [] Will no	ot occur [X]		
Conditions To Avoid Hazardous Reaction				
	11. Toxicolog	ical Informat	ion	
Toxicological Inform	ation: No data available.			
Sensitization:	Skin sensitization.			
	12. Ecologic	al Informatio	on	
	No data available.			
	13. Disposal	Consideratio	ons	
Waste Disposal Meth	nod: Observe all federal, state	e, and local enviro	onmental regulati	ions.
	14. Transpo	ort Informatio	n	
LAND TRANSPORT	(US DOT):			
DOT Proper Ship Name: DOT Hazard Clas UN/NA Number:				
MARINE TRANSPO	RT (IMDG/IMO):			
IMDG/IMO Shipping Name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty Acid, C-18-unsatd.,dimers,reaction products with polyehtylenepolyamines)UN Number:3082Packing Group:III				
Hazard Class: IMDG EMS Page		IMDG MF Marine P	FAG Number: Pollutant:	Yes
AIR TRANSPORT (IC ICAO/IATA Shipp	•			
Name: UN Number: Hazard Class:	Acid, C-18-unsatd.,di 3082 9 - CLASS 9		oducts with polye	
		ory Information	<u></u>	
	mendments and Reauthorization Ac us Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
	e based resin	З. 302 (ЕПЗ) No	3. 304 RQ No	8. 515 (TRI) No
•	nediamine, N,N'-Bis(2-aminoethyl)-	No	No	No
	· , · , · · · · · · · · · · · · · · · ·	-	-	-



SAFETY DATA SHEET 5102B

TSCA: Inventory TSCA: Inventory

Other US EPA or State Lists

Revision: 10/03/2017 Supersedes Revision: 07/27/2016

CAS #	Hazardous Components (Chemical Name)
68410-23-1	Polyamide based resin
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-

16. Other Information		
Revision Date:	10/03/2017	
Additional Information About This Product:	No data available.	
Company Policy or Disclaimer:	The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.	