

Page: 1 of 6

Revision: 10/02/2017 Supersedes Revision: 10/13/2015

1. Product and Company Identification

Product Code: 5184 Product Name: 5184

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Respiratory Sensitization, Category 1

Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3

Carcinogenicity, Category 1B

Toxic To Reproduction, Category 2





GHS Signal Word: Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation.

H350 - May cause cancer.

H361 - Suspected of damaging fertility or the unborn child .

GHS Precaution Phrases: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

understood.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

P281 - Use personal protective equipment as required.

P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.



Page: 2 of 6

Revision: 10/02/2017 Supersedes Revision: 10/13/2015

P337+313 - If eye irritation persists, get medical advice/attention.

P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled. May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.
Ingestion: Harmful if swallowed.
Additional Information No data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
25068-38-6	Bisphenol-a based epoxy resin	30.0 -60.0 %
68410-23-1	Polyamide based resin	25.0 -35.0 %
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	20.0 -30.0 %
112945-52-5	Silica, amorphous treated	1.0 -5.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	1.0 -5.0 %
556-52-5	Glycidol	0.0 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Licensed to Appli-Tec GHS format



Page: 3 of 6

Revision: 10/02/2017 Supersedes Revision: 10/13/2015

5. Fire Fighting Measures

Flash Pt: > 93.00 C

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use only with adequate ventilation. Normal measures for preventive fire protection.

Precautions To Be Taken

Store at \leq -40deg.C.

in Storing:

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.
68410-23-1	Polyamide based resin	No data.	No data.	No data.
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.
556-52-5	Glycidol	PEL: 50 ppm	TLV: 2 ppm	No data.

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eye Protection:**

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Wear appropriate protective clothing to prevent skin exposure. Other Protective Clothing:

Engineering Controls

Use adequate general or local exhaust ventilation to keep airborne

(Ventilation etc.):

concentrations below the permissible exposure limits. Facilities storing or

utilizing this material should be equipped with an eyewash facility and a safety

shower.

Work/Hygienic/Maintenanc Wash hands before breaks and at the end of workday.

e Practices:

GHS format Licensed to Appli-Tec



Page: 4 of 6

Revision: 10/02/2017 Supersedes Revision: 10/13/2015

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Appearance and Odor: Appearance: Brownish. Red. Viscous. Liquid.

Odor: weak odor.

Melting Point: No data. No data. **Boiling Point:** Flash Pt: > 93.00 C **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. **Explosive Limits:** UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water =

1):

Solubility in Water: No data. **Percent Volatile:** No data. No data. **Autoignition Pt:**

10. Stability and Reactivity

Stable [] Stability: Unstable [X]

Conditions To Avoid -Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use.

Incompatibility - Materials Strong oxidizing agents, Strong reducing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. Sensitization: Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

Licensed to Appli-Tec **GHS** format



Page: 5 of 6

Revision: 10/02/2017 Supersedes Revision: 10/13/2015

LAND TRANSPORT (US DOT):

DOT Proper Shipping

Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty

Acid, C-18-unsatd., dimers, reaction products with polyehtylenepolyamines)

UN Number: 3082 Packing Group:

Hazard Class: 9 - CLASS 9

IMDG MFAG Number:

IMDG EMS Page:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty

Name: Acid, C-18-unsatd.,dimers,reaction products with polyehtylenepolyamines)
UN Number: Packing Group: III

Hazard Class: 9 - CLASS 9

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
68410-23-1	Polyamide based resin	No	No	No
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No	No	No
112945-52-5	Silica, amorphous treated	No	No	No
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No
556-52-5	Glycidol	No	No	Yes

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists

25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory
68410-23-1	Polyamide based resin	TSCA: Inventory
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	TSCA: Inventory
112945-52-5 112-24-3	Silica, amorphous treated 1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Inventory TSCA: Inventory

556-52-5 Glycidol TSCA: Inventory, 4 Test, 8A

16. Other Information

Revision Date: 10/02/2017

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

Licensed to Appli-Tec GHS format