

Page: 1 of 5

Revision: 07/28/2016 Supersedes Revision: 03/16/2016

1. Product and Company Identification

Product Code: 5322A Product Name: 5322A

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Resin for two part adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 2A
Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

GHS Precaution Phrases: P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

Emergency Overview:

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 5

Revision: 07/28/2016 Supersedes Revision: 03/16/2016

Potential Health Effects (Acute and Chronic):

Inhalation: May be harmful if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.

Ingestion: May be harmful if swallowed.

Additional Information No data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
7429-90-5	Aluminum	65.0 -75.0 %
25068-38-6	Bisphenol-a based epoxy resin	30.0 -40.0 %
NA	Proprietary component	0.1 -1.0 %
1333-86-4	Carbon black	0.1 -1.0 %
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	0.1 -1.0 %

Additional Information

Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Hazardous Combustion

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

No data available.

Products:



Revision: 07/28/2016 Supersedes Revision: 03/16/2016

Page: 3 of 5

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation. Keep away from

heat, sparks and flame.

Precautions To Be Taken

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

8. Exposure Controls/Personal Protection							
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits			
7429-90-5	Aluminum	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 1 mg/m3 (resp.)	No data.			
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.			
NA	Proprietary component	No data.	No data.	No data.			
1333-86-4	Carbon black	PEL: 3.5 mg/m3	TLV: 3 mg/m3 (IHL)	No data.			
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No data.	No data.	No data.			

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

e Practices:

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance: Black. Liquid. Appearance and Odor:

Odor: weak odor.

No data. **Melting Point: Boiling Point:** No data. > 93.00 C Flash Pt: No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.

LEL: No data. UEL: No data. **Explosive Limits:**

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Page: 4 of 5

Revision: 07/28/2016 Supersedes Revision: 03/16/2016

Specific Gravity (Water = ~ 1.9

1):

Solubility in Water:No data.Percent Volatile:No data.Autoignition Pt:No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Incompatible materials.

Instability:

Incompatibility - Materials acids, bases, Strong oxidizing agents.

To Avoid:

Hazardous Decomposition aluminum oxide, Nitrogen oxides, Nitric acid. Carbon oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. **Sensitization:** Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Environmentally Hazardous Substance, liquid, n.o.s. (Liquid Epoxy Resin).

Name:

DOT Hazard Class: 9 CLASS 9

UN/NA Number: UN3082 Packing Group: III

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, liquid, n.o.s. (Liquid Epoxy Resin).

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Environmentally Hazardous Substance, liquid, n.o.s. (Liquid Epoxy Resin).

Name:



Page: 5 of 5

Revision: 07/28/2016 Supersedes Revision: 03/16/2016

15. Regulatory Information

EPA SARA (Superfund Am	endments and Reauthorization .	Act of 1986) Lists
------------------------	--------------------------------	--------------------

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7429-90-5	Aluminum	No	No	Yes
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
NA	Proprietary component	No	No	No
1333-86-4	Carbon black	No	No	No
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

7429-90-5 Aluminum TSCA: Yes - Inventory
25068-38-6 Bisphenol-a based epoxy resin TSCA: Yes - Inventory
NA Proprietary component TSCA: Yes - Inventory
1333-86-4 Carbon black TSCA: Yes - Inventory

67762-90-7 Siloxanes and silicones, di-me, reaction products TSCA: Yes - Inventory, 8A, 8A PAIR

with silica

16. Other Information

Revision Date: 07/28/2016

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any

other product or any other process is the responsibility of the user.