

Page: 1 of 6

Revision: 06/03/2016 Supersedes Revision: 05/20/2016

1. Product and Company Identification

Product Code: 7305 Product Name: 7305

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H317 - May cause an allergic skin reaction.

H335 - May cause respiratory irritation.

H372 - Causes damage to organs through prolonged or repeated exposure.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

Emergency Overview:

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled.

Skin Contact:May cause allergic skin reaction.Eye Contact:Causes serious eye irritation.Ingestion:May be harmful if swallowed.

Additional Information No data available.

Page: 2 of 6

Revision: 06/03/2016 Supersedes Revision: 05/20/2016

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
1344-28-1	Aluminum oxide	70.0 -80.0 %
69102-90-5	Polybutadiene	10.0 -20.0 %
68611-44-9	Modified silicon dioxide	1.0 -5.0 %
28182-81-2	Poly(hexamethylene diisocyanate)	1.0 -5.0 %
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	0.1 -1.0 %
71631-15-7	C.I. Pigment Black 30	0.1 -1.0 %
2530-83-8	3-Glycidoxypropyltrimethoxysilane	0.0 -0.1 %
822-06-0	Hexamethylene-1,6-diisocyanate	0.0 -0.1 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is In Case of Inhalation:

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Treat symptomatically and supportively. Note to Physician:

5. Fire Fighting Measures

> 93.00 C Flash Pt:

Explosive Limits: LEL: No data. UEL: No data.

No data. **Autoignition Pt:**

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

Page: 3 of 6

Revision: 06/03/2016 Supersedes Revision: 05/20/2016

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation.

Avoid ingestion and inhalation.

Store at <= -40deg.C.

Precautions To Be Taken

in Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
69102-90-5	Polybutadiene	No data.	No data.	No data.
68611-44-9	Modified silicon dioxide	No data.	No data.	No data.
28182-81-2	Poly(hexamethylene diisocyanate)	No data.	No data.	No data.
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethy lethyl)-4-methyl-	No data.	No data.	No data.
71631-15-7	C.I. Pigment Black 30	No data.	No data.	No data.
2530-83-8	3-Glycidoxypropyltrimethoxysilane	No data.	No data.	No data.
822-06-0	Hexamethylene-1.6-diisocvanate	No data.	TLV: 0.005 ppm	No data.

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eve Protection:**

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure.

Engineering Controls

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

thoroughly after handling.

Page: 4 of 6

Revision: 06/03/2016 Supersedes Revision: 05/20/2016

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Appearance: Gray. Paste. Appearance and Odor:

aromatic odor.

Melting Point: No data. **Boiling Point:** No data. Flash Pt: > 93.00 C **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. **Explosive Limits:** UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = No data.

1):

Solubility in Water: No data. **Percent Volatile:** No data. **Autoignition Pt:** No data.

10. Stability and Reactivity

Stable [] Stability: Unstable [X]

Conditions To Avoid -Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use.

Incompatibility - Materials Strong oxidizing agents, acids.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. Sensitization: Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Observe all federal, state, and local environmental regulations. **Waste Disposal Method:**

14. Transport Information



Revision: 06/03/2016 Supersedes Revision: 05/20/2016

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Not Regulated.

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

Name:

15. Regulatory Information

CAS # 1344-28-1	Hazardous Components (Chemical Name) Aluminum oxide	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) Yes
69102-90-5	Polybutadiene	No	No	No
68611-44-9	Modified silicon dioxide	No	No	No
28182-81-2	Poly(hexamethylene diisocyanate)	No	No	No
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	No	No	No
71631-15-7	C.I. Pigment Black 30	No	No	Yes-Cat. N090,
2530-83-8	3-Glycidoxypropyltrimethoxysilane	No	No	No
822-06-0	Hexamethylene-1,6-diisocyanate	No	Yes 100 LB	Yes-Cat. N120,

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	TSCA: Yes - Inventory
69102-90-5	Polybutadiene	TSCA: Yes - Inventory
68611-44-9	Modified silicon dioxide	TSCA: Yes - Inventory
28182-81-2	Poly(hexamethylene diisocyanate)	TSCA: Yes - Inventory
119-47-1	Phenol,2,2'-methylenebis6-(1,1-dimethylethyl)-4-methyl-	TSCA: Yes - Inventory
71631-15-7	C.I. Pigment Black 30	TSCA: Yes - Inventory
2530-83-8	3-Glycidoxypropyltrimethoxysilane	TSCA: Yes - Inventory, 4 Test, 8A
822-06-0	Hexamethylene-1,6-diisocyanate	TSCA: Yes - Inventory, 4 Test, 8C, 8D TERM

16. Other Information

Revision Date: 06/03/2016

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.