SAFETY DATA SHEET 7312

Revision: 05/20/2016 Supersedes Revision: 06/11/2015

1. Product and Company Identification			
Product Code:	7312		
Product Name:	7312		
Company Name:	Appli-Tec, Inc 7 Industrial Way Unit 1 Salem, NH 03079	Phone Number: (603)685-0500	
Web site address:	www.appli-tec.com		
Emergency Contact: Information:	Contact medical emergency services Call Chemtrec for Transport Info.	(800)424-9300	
Intended Use:	Adhesive		

2. Hazards Identification

Skin Sensitization, Category 1 Specific Target Organ Toxicity (single exposure), Category 3 Specific Target Organ Toxicity (repeated exposure), Category 1



GHS Signal Word: GHS Hazard Phrases:	Danger H317 - May cause an allergic skin reaction. H335 - May cause respiratory irritation. H372 - Causes damage to organs through prolonged or repeated exposure.
GHS Precaution Phrases:	 P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection.
GHS Response Phrases:	 P302+352 - IF ON SKIN: Wash with plenty of soap and water. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P314 - Get medical attention/advice if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposa Phrases:	I P403+233 - Store container tightly closed in well-ventilated place. P405 - Store locked up.
Finases:	P501 - Dispose of contents/container according to national and local regulations.
Emergency Overview: OSHA Regulatory Status: Potential Health Effects (Acute and Chronic):	This material is classified as hazardous under OSHA regulations.
Inhalation:	Harmful if inhaled.
Skin Contact:	Causes skin irritation. May cause allergic skin reaction.
Eye Contact:	Causes eye irritation.
Ingestion:	May be harmful if swallowed.
Additional Information	No data available.



in Storing:

SAFETY DATA SHEET 7312

Revision: 05/20/2016 Supersedes Revision: 06/11/2015

			Supersedes Revision: 06/11/2015
	3.	Composition/Info	rmation on Ingredients
CAS #	Hazardous Comp	onents (Chemical Name)	Concentration
1344-28-1	Aluminum oxide		60.0 -70.0 %
69102-90-5	Polybutadiene		20.0 -30.0 %
28182-81-2	Poly(hexamethyle	ne diisocyanate)	1.0 -5.0 %
68611-44-9	Modified silicon did	oxide 1.0 -5.0 %	
65997-17-3	Fibrous glass		1.0 -5.0 %
Additional Ir	nformation	Exact percentages have	been withheld as a trade secret.
		4. First A	id Measures
Emergency Procedures	and First Aid :		
In Case of I	nhalation:	n: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.	
In Case of S	Skin Contact:	Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.	
In Case of E	Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.	
In Case of I	ngestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.	
Note to Phy	vsician:	Treat symptomatically and supportively.	
5. Fire Fighting Measures			
Flash Pt:		> 93.00 C	
Explosive L	.imits:	LEL: No data.	UEL: No data.
Autoignition		No data.	
Suitable Ext Media:		Use water spray, dry chemical, carbon dioxide, or appropriate foam.	
Fire Fightin	g Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.	
Flammable Hazards:	Properties and	No data available.	
Hazardous Products:	Combustion	No data available.	
		6. Accidental F	Release Measures
-	e Taken In Case Released Or	leakage or spillage if sa personal protective equ	ation. Isolate area and deny entry. Prevent further fe to do so. Do not let product enter drains. Use proper ipment as indicated in Section 8. Absorb spill with inert or earth), then place in a chemical waste container.
7. Handling and Storage			
in Handling	s To Be Taken : s To Be Taken	Use with adequate venti ingestion and inhalation. Store at <= -40deg.C.	lation. Avoid contact with eyes, skin, and clothing. Avoid



SAFETY DATA SHEET 7312

Revision: 05/20/2016 Supersedes Revision: 06/11/2015

8. Exposure Controls/Personal Protection					
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide		PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
69102-90-5	Polybutadiene		No data.	No data.	No data.
28182-81-2	Poly(hexamethyle	ne diisocyanate)	No data.	No data.	No data.
68611-44-9	Modified silicon die	oxide	No data.	No data.	No data.
65997-17-3	Fibrous glass		No data.	TLV: 1 f/cc (fibers)	No data.
Respiratory (Specify Typ			•	ndard EN 149 approved ation or other symptoms	•
Eye Protection	on:	Safety glasses.			
Protective G	loves:	Wear appropriate	protective gloves to	prevent skin exposure.	
Other Protec	tive Clothing:	Wear appropriate	protective clothing to	o prevent skin exposure.	
Engineering (Ventilation e		facility and a safet	ty shower. Use proce	al should be equipped w ess enclosure, local exha irborne levels below reco	aust ventilation, or
Work/Hygien e Practices:	ic/Maintenanc	Handle in accordate thoroughly after ha	-	trial hygiene and safety	practice. Wash
9. Physical and Chemical Properties					
		9. Physical a	and Chemical F	Properties	
Physical Stat	tes:	[]Gas [X]L		Properties	
Physical Stat Appearance			.iquid [] Solid	Properties	
-	and Odor:	[] Gas [X] L Appearance: Pink	.iquid [] Solid	Properties	
Appearance	and Odor: t:	[] Gas [X] L Appearance: Pink Odor: weak odor.	.iquid [] Solid	Properties	
Appearance Melting Poin	and Odor: t:	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. No data. > 93.00 C	.iquid [] Solid	Properties	
Appearance Melting Point Boiling Point	and Odor: t: t:	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. No data.	.iquid [] Solid	Properties	
Appearance Melting Point Boiling Point Flash Pt: Evaporation	and Odor: t: t:	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. > 93.00 C No data. No data. No data available.	iquid [] Solid . Paste.		
Appearance Melting Point Boiling Point Flash Pt: Evaporation	and Odor: t: t: Rate: v (solid, gas):	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. No data. > 93.00 C No data.	iquid [] Solid . Paste.	JEL: No data.	
Appearance Melting Point Boiling Point Flash Pt: Evaporation Flammability Explosive Lin Vapor Presso mm Hg):	and Odor: t: t: Rate: v (solid, gas): mits: ure (vs. Air or	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. > 93.00 C No data. No data available. LEL: No data. No data.	iquid [] Solid . Paste.		
Appearance Melting Point Boiling Point Flash Pt: Evaporation Flammability Explosive Lin Vapor Presse mm Hg): Vapor Densit	and Odor: t: t: Rate: v (solid, gas): mits: ure (vs. Air or ty (vs. Air = 1):	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. > 93.00 C No data. No data available. LEL: No data. No data.	iquid [] Solid . Paste.		
Appearance Melting Point Boiling Point Flash Pt: Evaporation Flammability Explosive Lin Vapor Presse mm Hg): Vapor Densit Specific Grav 1):	and Odor: t: t: Rate: v (solid, gas): mits: ure (vs. Air or ty (vs. Air = 1): vity (Water =	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. No data. > 93.00 C No data. No data available. LEL: No data. No data. No data.	iquid [] Solid . Paste.		
Appearance Melting Point Boiling Point Flash Pt: Evaporation Flammability Explosive Lin Vapor Presse mm Hg): Vapor Densit Specific Grav 1): Solubility in	and Odor: t: t: Rate: v (solid, gas): mits: ure (vs. Air or ty (vs. Air = 1): vity (Water = Water:	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. > 93.00 C No data. No data available. LEL: No data. No data.	iquid [] Solid . Paste.		
Appearance Melting Point Boiling Point Flash Pt: Evaporation Flammability Explosive Lin Vapor Presse mm Hg): Vapor Densit Specific Grav 1):	and Odor: t: t: Rate: v (solid, gas): mits: ure (vs. Air or ty (vs. Air = 1): vity (Water = Water: tile:	[] Gas [X] L Appearance: Pink Odor: weak odor. No data. No data. > 93.00 C No data. No data available. LEL: No data. No data. No data.	iquid [] Solid . Paste.		

APPLI-TEC

SAFETY DATA SHEET 7312

Revision: 05/20/2016 Supersedes Revision: 06/11/2015

			Capeloca	
	10. Stability a	nd Reactivit	У	
Stability:	Unstable [X] Stable []		
Conditions To Avoid - Instability:	Product will cure at ambier use.	t temperatures.	Keep in cold stora	age until ready to
Incompatibility - Materials To Avoid:	Strong oxidizing agents, ac	ids, Strong base	es.	
Hazardous Decomposition or Byproducts:	Carbon oxides, hydrocarbo	ons. Nitrogen oxi	des, Hydrogen cya	anide.
Possibility of Hazardous Reactions:	Will occur [] Will not	occur [X]		
Conditions To Avoid - Hazardous Reactions:	No data available.			
	11. Toxicologic	al Informatio	on	
Toxicological Information:	No data available.			
Sensitization:	Skin sensitization.			
	12. Ecologica	Information	۱	
	No data available.			
	13. Disposal Co	onsideratior	าร	
Waste Disposal Method:	Observe all federal, state, a	and local enviror	mental regulation	S.
	14. Transport	Information	l i i i i i i i i i i i i i i i i i i i	
LAND TRANSPORT (US D	OT):			
DOT Proper Shipping Name: DOT Hazard Class: UN/NA Number:	Not Regulated.			
MARINE TRANSPORT (IM	DG/IMO):			
IMDG/IMO Shipping Na	•			
AIR TRANSPORT (ICAO/IA	1			
ICAO/IATA Shipping Name:	Not Regulated.			
Additional Transport Information:	Not regulated as a hazardo	ous material.		
15. Regulatory Information				
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists				
	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1 Aluminum oxide		No	No	Yes
69102-90-5 Polybutadiene		No	No	No
	ene diisocyanate)	No	No	No
68611-44-9 Modified silicon d	lioxide	No	No	No
65997-17-3 Fibrous glass		No	No	No



SAFETY DATA SHEET 7312

Revision: 05/20/2016 Supersedes Revision: 06/11/2015

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	TSCA: Yes - Inventory
69102-90-5	Polybutadiene	TSCA: Yes - Inventory
28182-81-2	Poly(hexamethylene diisocyanate)	TSCA: Yes - Inventory
68611-44-9	Modified silicon dioxide	TSCA: Yes - Inventory
65997-17-3	Fibrous glass	TSCA: Yes - Inventory

16. Other Information

Revision Date:

05/20/2016

No data available.

Additional Information About This Product: Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.