

Page: 1 of 5

Revision: 12/29/2015 Supersedes Revision: 05/28/2015

1. Product and Company Identification

Product Code: 0193 Product Name: 0193

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 (603)685-0 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B
Serious Eye Damage/Eye Irritation, Category 2
Skin Sensitization, Category 1
Aquatic Toxicity (Chronic), Category 2







GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 5

Revision: 12/29/2015 Supersedes Revision: 05/28/2015

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin burns. May cause allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion:Harmful if swallowed.Additional InformationNo data available.

3. Composition/Information on Ingredients

CAS#	AS # Hazardous Components (Chemical Name)	
25068-38-6	Bisphenol-a based epoxy resin	70.0 -80.0 %
68410-23-1	Polyamide based resin	10.0 -20.0 %
80-52-4	1,8-Diamino-p-menthane	5.0 -10.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	0.1 -5.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data

Products:

No data available.

Page: 3 of 5

Revision: 12/29/2015 Supersedes Revision: 05/28/2015

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapor or mist. Wash thoroughly after handling. Remove contaminated clothing and wash before

reuse.

Precautions To Be Taken

in Storing:

Store at \leq -40deg.C.

8. Exposure Controls/Personal Protection **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** CAS# No data. No data. No data. 25068-38-6 Bisphenol-a based epoxy resin Polyamide based resin No data. No data. No data. 68410-23-1 80-52-4 1,8-Diamino-p-menthane No data. No data. No data. 112-24-3 1,2-Ethanediamine, No data. No data. No data. N,N'-Bis(2-aminoethyl)-

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eve Protection:**

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday. e Practices:

9. Physical and Chemical Properties

[] Solid **Physical States:** [] Gas [X] Liquid

Appearance: Light. amber. Appearance and Odor:

Odor: weak odor.

No data. **Melting Point: Boiling Point:** No data. Flash Pt: > 93.00 C No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Page: 4 of 5

Revision: 12/29/2015 Supersedes Revision: 05/28/2015

Specific Gravity (Water = ~1.1

1):

Solubility in Water: No data. **Percent Volatile:** No data. **Autoignition Pt:** No data.

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid -Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability:

Incompatibility - Materials Water, Strong bases, Alcohols, Oxidizing materials.

To Avoid:

Hazardous Decomposition Nitrogen oxides, Carbon oxides.

or Byproducts:

Will occur []

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

Possibility of Hazardous

11. Toxicological Information

Will not occur [X]

Toxicological Information: No data available. **Irritation or Corrosion:** Skin corrosion/irritation. Skin sensitization. Sensitization:

12. Ecological Information

No data available.

13. Disposal Considerations

Observe all federal, state, and local environmental regulations. **Waste Disposal Method:**

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping

Corrosive liquids, toxic, n.o.s. (Menthane Diamine)

Name:

CORROSIVE, POISON **DOT Hazard Class:**

UN/NA Number: UN2922 Ш Packing Group:





MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Corrosive liquids, toxic, n.o.s. (Menthane Diamine)

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping

Corrosive liquids, toxic, n.o.s. (Menthane Diamine)

Name:



Page: 5 of 5

Revision: 12/29/2015 Supersedes Revision: 05/28/2015

15. Regulatory Information

1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-

CAS # 25068-38-6	Hazardous Components (Chemical Name) Bisphenol-a based epoxy resin	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No
68410-23-1	Polyamide based resin	No	No	No
80-52-4	1,8-Diamino-p-menthane	No	No	No
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists		
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Yes - Inventory		
68410-23-1	Polyamide based resin	TSCA: Yes - Inventory		

16. Other Information

Revision Date: 12/29/2015

1,8-Diamino-p-menthane

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

80-52-4

112-24-3

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

TSCA: Yes - Inventory

TSCA: Yes - Inventory