

Page: 1 of 5

Revision: 07/16/2015 Supersedes Revision: 08/08/2013

1. Product and Company Identification

Product Code: 0323 Product Name: 0323

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 (60) Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 2A

Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

GHS Hazard Phrases: H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P403+233 - Store container tightly closed in well-ventilated place.

Phrases: P405 - Store locked up.

P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 5

Revision: 07/16/2015 Supersedes Revision: 08/08/2013

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin burns. May cause allergic skin reaction.

Eye Contact: Causes severe eye irritation.

Ingestion:Harmful if swallowed.Additional InformationNo data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
25068-38-6	Bisphenol-a based epoxy resin	40.0 -50.0 %	
68410-23-1	Polyamide based resin	40.0 -50.0 %	
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	1.0 -5.0 %	
112945-52-5	Silica, amorphous treated	1.0 -5.0 %	
91-44-1	7-Diethylamino-4-methylcoumarin	0.0 -0.1 %	

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

Products:

Page: 3 of 5

Revision: 07/16/2015 Supersedes Revision: 08/08/2013

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

Use with adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not

in Handling:

ingest or inhale.

Precautions To Be Taken

Store at \leq -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.
68410-23-1	Polyamide based resin	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.
91-44-1	7-Diethylamino-4-methylcoumarin	No data.	No data.	No data.

Respiratory Equipment

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: amber. Paste.

Odor: ammonia-like.

No data. **Melting Point: Boiling Point:** No data. Flash Pt: > 93.00 C **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. **Explosive Limits:** UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Page: 4 of 5

Revision: 07/16/2015 Supersedes Revision: 08/08/2013

Specific Gravity (Water = No data.

1):

Solubility in Water:No data.Percent Volatile:No data.Autoignition Pt:No data.

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use

Incompatibility - Materials Strong bases, Alcohols, Oxidizing materials.

To Avoid:

Hazardous Decomposition Nitrogen oxides, Carbon oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Environmentally Hazardous Substance, Liquid, n.o.s. contains FATTY ACID

Name: AMIDOAMINE RESIN

DOT Hazard Class: 9 CLASS 9

UN/NA Number: UN3082 Packing Group: III

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. contains FATTY ACID

AMIDOAMINE RESIN

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Environmentally Hazardous Substance, Liquid, n.o.s. contains FATTY ACID

Name: AMIDOAMINE RESIN



Page: 5 of 5

Revision: 07/16/2015 Supersedes Revision: 08/08/2013

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists								
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)				
25068-38-6	Bisphenol-a based epoxy resin	No	No	No				
68410-23-1	Polyamide based resin	No	No	No				
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No				
112945-52-5	Silica, amorphous treated	No	No	No				
91-44-1	7-Diethylamino-4-methylcoumarin	No	No	No				
CAS#	Hazardous Components (Chemical Name)	Other US EPA o	r State Lists					
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Yes - Inventory						
68410-23-1	Polyamide based resin	TSCA: Yes - Inventory						
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Yes - Inventory						
112945-52-5	Silica, amorphous treated	TSCA: Yes - Inventory						

16. Other Information

07/16/2015 **Revision Date:**

7-Diethylamino-4-methylcoumarin

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

91-44-1

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any

TSCA: Yes - Inventory

other product or any other process is the responsibility of the user.