

SAFETY DATA SHEET 3116B

Page: 1 of 4

Revision: 08/11/2015

1. Product and Company Identification

Product Code: 3116B Product Name: 3116B

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Resin for two part adhesive

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2B

Skin Sensitization, Category 1

Specific Target Organ Toxicity (repeated exposure), Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H317 - May cause an allergic skin reaction.

H320 - Causes eye irritation.

H372 - Causes damage to organs through prolonged or repeated exposure.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P314 - Get medical attention/advice if you feel unwell.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P501 - Dispose of contents/container according to national and local regulations.

Phrases:

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.
Ingestion: Harmful if swallowed.
Additional Information No data available.



SAFETY DATA SHEET 3116B

Page: 2 of 4

Revision: 08/11/2015

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name) CAS# Concentration

Bisphenol-a based epoxy resin 70.0 -90.0 % 25068-38-6 1332-58-7 Kaolin 10.0 -30.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical attention/advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious In Case of Ingestion:

person. Get medical advice/attention.

Fire Fighting Measures

> 93.00 CFlash Pt:

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Use proper personal protective equipment as indicated in Section 8. Isolate area and deny entry. Ventilate the area. Absorb spill with inert material (e.g. dry sand

or earth), then place in a chemical waste container. Discharge into the

environment must be avoided.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Wash thoroughly after handling. Use with adequate ventilation. Avoid contact

with eyes, skin, and clothing. Avoid ingestion and inhalation.

Precautions To Be Taken

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

8. Exposure Controls/Personal Protection

APPLI-TEC

SAFETY DATA SHEET 3116B

Page: 3 of 4

Revision: 08/11/2015

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** No data. No data. No data. 25068-38-6 Bisphenol-a based epoxy resin 1332-58-7 Kaolin PEL: 15 (dust); 5 (resp.) TLV: 2 mg/m3 (E,R) No data. mg/m3

Respiratory Equipment

(Specify Type):
Eve Protection:

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. **Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices: thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Off-white. Paste.

Odor: weak odor.

Melting Point:No data.Boiling Point:No data.Flash Pt:> 93.00 CEvaporation Rate:No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hq):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = ~1.4

1):

Solubility in Water: No data.

Percent Volatile: 0.0 % by weight.

Autoignition Pt: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Incompatible materials, Excess heat.

Instability:

Incompatibility - Materials Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Nitrogen oxides, Amines, oxides of carbon.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:



SAFETY DATA SHEET 3116B

Page: 4 of 4

Revision: 08/11/2015

11. Toxicological Information

Toxicological Information: No data available. **Sensitization:** Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Not Regulated.

Name:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

25068-38-6 Bisphenol-a based epoxy resin No No No No No No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

25068-38-6 Bisphenol-a based epoxy resin TSCA: Yes - Inventory 1332-58-7 Kaolin TSCA: Yes - Inventory

16. Other Information

Revision Date: 08/11/2015

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.