

Page: 1 of 6

Revision: 08/12/2015

1. Product and Company Identification

Product Code: 3217 Product Name: 3217

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 1

Skin Sensitization, Category 1

Specific Target Organ Toxicity (repeated exposure), Category 1

Acute Toxicity: Skin, Category 4







GHS Signal Word: Danger

GHS Hazard Phrases: H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H372 - Causes damage to organs through prolonged or repeated exposure.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Revision: 08/12/2015

Potential Health Effects (Acute and Chronic):

Harmful if inhaled. Inhalation:

Skin Contact: Causes skin burns. May cause allergic skin reaction. Eye Contact: Causes eye burns. Causes serious eye damage.

Harmful if swallowed. Ingestion: **Additional Information** No data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
1306-38-3	Cerium(IV) oxide	50.0 -60.0 %
2426-08-6	Oxirane, (Butoxymethyl)-	15.0 -30.0 %
25068-38-6	Bisphenol-a based epoxy resin	10.0 -30.0 %
68611-50-7	Polysulfide polymer (non haz.)	10.0 -15.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	1.0 -9.0 %
NA	Proprietary Modified Amine	1.0 -9.0 %
71-36-3	n-Butyl alcohol	1.0 -5.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Remove contaminated clothing. Wash skin with soap and water. Get medical In Case of Skin Contact:

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical attention/advice.

Do NOT induce vomiting. Never give anything by mouth to an unconscious In Case of Ingestion:

person. Get medical advice/attention.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Media:

Hazardous Combustion

No data available.

Products:

Page: 3 of 6

Revision: 08/12/2015

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use

only with adequate ventilation.

Store at <= -40deg.C.

Precautions To Be Taken

in Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1306-38-3	Cerium(IV) oxide	No data.	No data.	No data.
2426-08-6	Oxirane, (Butoxymethyl)-	PEL: 50 ppm	TLV: 3 ppm	No data.
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.
68611-50-7	Polysulfide polymer (non haz.)	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.
NA	Proprietary Modified Amine	No data.	No data.	No data.
71-36-3	n-Butyl alcohol	PEL: 100 ppm	TLV: 20 ppm	No data.

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Safety glasses. **Eve Protection:**

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

[] Gas [X] Liquid [] Solid Physical States:

Appearance: amber. Liquid. Appearance and Odor:

Odor: pungent odor.

No data. Melting Point: **Boiling Point:** No data. > 93.00 C Flash Pt: No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.





Revision: 08/12/2015

Specific Gravity (Water = ~ 2.0

1):

Solubility in Water: No data.

Percent Volatile: No data.

Autoignition Pt: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - No data available.

Instability:

Incompatibility - Materials Strong bases, Strong acids, Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Serious eye damage/irritation. Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Not Regulated.

Name:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1306-38-3	Cerium(IV) oxide	No	No	No
2426-08-6	Oxirane, (Butoxymethyl)-	No	No	No
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
68611-50-7	Polysulfide polymer (non haz.)	No	No	No



Page: 5 of 6

Revision: 08/12/2015

112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No
NA	Proprietary Modified Amine	No	No	No
71-36-3	n-Butyl alcohol	No	Yes 5000 LB	Yes

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1306-38-3	Cerium(IV) oxide	TSCA: Yes - Inventory
2426-08-6	Oxirane, (Butoxymethyl)-	TSCA: Yes - Inventory, 4 Test, 8A
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Yes - Inventory
68611-50-7	Polysulfide polymer (non haz.)	TSCA: Yes - Inventory
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Yes - Inventory
NA	Proprietary Modified Amine	TSCA: No
71-36-3	n-Butyl alcohol	TSCA: Yes - Inventory, 4 Test

16. Other Information

Revision Date: 08/12/2015

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.