

## 1. Product and Company Identification

**Product Code:** 3272  
**Product Name:** 3272  
**Company Name:** Appli-Tec, Inc  
 7 Industrial Way Unit 1  
 Salem, NH 03079  
**Phone Number:** (603)685-0500  
**Web site address:** www.appli-tec.com  
**Emergency Contact:** Contact medical emergency services  
**Information:** Call Chemtrec for Transport Info. (800)424-9300  
**Intended Use:** Adhesive

## 2. Hazards Identification

**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 1**  
**Skin Sensitization, Category 1**  
**Toxic To Reproduction, Category 1B**



**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H315 - Causes skin irritation.  
 H318 - Causes serious eye damage.  
 H317 - May cause an allergic skin reaction.  
 H360 - May damage fertility or the unborn child .

**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves and eye/face protection.  
 P261 - Avoid breathing vapors, mist, or spray.  
 P272 - Contaminated work clothing should not be allowed out of the workplace.  
 P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call a POISON CENTER or doctor/physician.  
 P333+313 - If skin irritation or rash occurs, seek medical advice/attention.  
 P308+313 - IF exposed or concerned: Get medical attention/advice.  
 P362 - Take off contaminated clothing and wash before re-use.

**GHS Storage and Disposal Phrases:** P501 - Dispose of contents/container according to national and local regulations.  
 P405 - Store locked up.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Inhalation:** Harmful if inhaled.  
**Skin Contact:** Causes skin irritation. May cause allergic reaction.  
**Eye Contact:** Causes eye burns. Causes serious eye damage.  
**Ingestion:** Harmful if swallowed.  
**Additional Information** 35% of mixture has unknown acute oral and dermal toxicity.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
1332-58-7	Kaolin	25.0 -50.0 %
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanediyloxy)]bis[1-propanamine ]	20.0 -45.0 %
25068-38-6	Bisphenol-a based epoxy resin	20.0 -35.0 %
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	1.0 -9.0 %
112945-52-5	Silica, amorphous treated	1.0 -5.0 %
108-88-3	Toluene	0.1 -1.0 %
13463-67-7	Titanium dioxide	0.0 -1.0 %

**Additional Information** Exact percentages have been withheld as a trade secret.

### 4. First Aid Measures

**Emergency and First Aid Procedures:**

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

**In Case of Skin Contact:** Remove contaminated clothing and shoes. Wash with soap and water. Get medical attention if irritation develops or persists.

**In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 5. Fire Fighting Measures

**Flash Pt:** > 93.00 C

**Explosive Limits:** LEL: No data. UEL: No data.

**Autoignition Pt:** No data.

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or appropriate foam.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

**Flammable Properties and Hazards:** No data available.

**Hazardous Combustion Products:** No data available.

## 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

**Precautions To Be Taken in Storing:** Store at <= -40deg.C.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1332-58-7	Kaolin	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 2 mg/m3 (E,R)	No data.
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanedioxy)]bis[1-propanamine]	No data.	No data.	No data.
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.
108-88-3	Toluene	PEL: 200 ppm STEL: 500 ppm/(10min) CEIL: 300 ppm	TLV: 20 ppm	No data.
13463-67-7	Titanium dioxide	PEL: 15 (dust) mg/m3	TLV: 10 mg/m3	No data.

**Respiratory Equipment (Specify Type):** Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls (Ventilation etc.):** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ <input type="checkbox"/> ] Gas [ <input checked="" type="checkbox"/> ] Liquid [ <input type="checkbox"/> ] Solid	
<b>Appearance and Odor:</b>	Appearance: Gray. Paste. Odor: weak odor.	
<b>pH:</b>	No data.	
<b>Melting Point:</b>	No data.	
<b>Boiling Point:</b>	No data.	
<b>Flash Pt:</b>	> 93.00 C	
<b>Evaporation Rate:</b>	No data.	
<b>Flammability (solid, gas):</b>	No data available.	
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	No data.	
<b>Vapor Density (vs. Air = 1):</b>	No data.	
<b>Specific Gravity (Water = 1):</b>	~1.3	
<b>Solubility in Water:</b>	No data.	
<b>Octanol/Water Partition Coefficient:</b>	No data.	
<b>Percent Volatile:</b>	N.D.	
<b>Autoignition Pt:</b>	No data.	
<b>Decomposition Temperature:</b>	No data.	
<b>Viscosity:</b>	No data.	

## 10. Stability and Reactivity

<b>Stability:</b>	Unstable [ <input checked="" type="checkbox"/> ] Stable [ <input type="checkbox"/> ]	
<b>Conditions To Avoid - Instability:</b>	Product will cure at ambient temperatures. Keep in cold storage until ready to use.	
<b>Incompatibility - Materials To Avoid:</b>	Oxidizing materials.	
<b>Hazardous Decomposition or Byproducts:</b>	Nitrogen oxides, Carbon oxides.	
<b>Possibility of Hazardous Reactions:</b>	Will occur [ <input type="checkbox"/> ]	Will not occur [ <input checked="" type="checkbox"/> ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.	

**11. Toxicological Information**

**Toxicological Information:** No data available.  
**Irritation or Corrosion:** Serious eye damage/irritation.  
**Sensitization:** Skin sensitization.  
**Chronic Toxicological Effects:** Reproductive toxicity.

**12. Ecological Information**

No data available.


**13. Disposal Considerations**

**Waste Disposal Method:** Observe all federal, state, and local environmental regulations.

**14. Transport Information**

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Not Regulated.  
**DOT Hazard Class:**  
**UN/NA Number:**



**MARINE TRANSPORT (IMDG/IMO):**

**IMDG/IMO Shipping Name:** Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy resin)  
**UN Number:** 3082 **Packing Group:** III  
**Hazard Class:** 9 - CLASS 9  
**IMDG EMS Page:** **IMDG MFAG Number:**  
**Marine Pollutant:** Yes

**AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy resin)  
**UN Number:** 3082 **Packing Group:** III  
**Hazard Class:** 9 - CLASS 9

**15. Regulatory Information**

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1332-58-7	Kaolin	No	No	No
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanedioxy)]bis[1-propanamine]	No	No	No
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	No	No	No
112945-52-5	Silica, amorphous treated	No	No	No
108-88-3	Toluene	No	Yes 1000 LB	Yes
13463-67-7	Titanium dioxide	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1332-58-7	Kaolin	TSCA: Inventory
68911-25-1	Fatty acids, C18-unsatd., dimers, polymers with 3,3'-[oxybis(2,1-ethanedioxy)]bis[1-propanamine ]	TSCA: Inventory
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory
4246-51-9	3,3'-Oxybis(ethyleneoxy)bis(propylamine)	TSCA: Inventory
112945-52-5	Silica, amorphous treated	TSCA: Inventory
108-88-3	Toluene	TSCA: Inventory, 8A CAIR
13463-67-7	Titanium dioxide	TSCA: Inventory

## 16. Other Information

**Revision Date:** 06/26/2018

**Additional Information About This Product:** No data available.

**Company Policy or Disclaimer:** The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.