

Page: 1 of 5

Revision: 07/19/2018 Supersedes Revision: 09/28/2017

## 1. Product and Company Identification

Product Code: 3283 Product Name: 3283

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

#### 2. Hazards Identification

Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 1

Skin Sensitization, Category 1
Acute Toxicity: Oral, Category 4

**Aquatic Toxicity (Chronic), Category 2** 







GHS Signal Word: Danger

GHS Hazard Phrases: H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H411 - Toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P261 - Avoid breathing vapors, mist or spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P330 - Rinse mouth.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

GHS Storage and Disposal P405 - Store locked up.

**Phrases:** P501 - Dispose of contents/container according to local and national regulations.

Licensed to Appli-Tec GHS format



Page: 2 of 5

Revision: 07/19/2018 Supersedes Revision: 09/28/2017

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Inhalation:** Harmful if inhaled.

**Skin Contact:** Causes skin burns. May cause allergic skin reaction.

Eye Contact:Causes eye burns.Ingestion:Harmful if swallowed.Additional InformationNo data available.

# 3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration

1675-54-3 Oxirane, 40.0 -75.0 %

 $2,2'\hbox{-}[(1\hbox{-}Methylethylidene)bis(4,1\hbox{-}phenyleneoxyme$ 

thylene)]bis-

9046-10-0 \*Poly(oxy(methyl-1,2-ethanediyl) 15.0 -30.0 % 2530-83-8 3-Glycidoxypropyltrimethoxysilane 1.0 -5.0 %

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

**Note to Physician:** Treat symptomatically and supportively.

#### 5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Suitable Extiliguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water

spray to keep fire-exposed containers cool.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** No data available.

Products:

Licensed to Appli-Tec GHS format



Page: 3 of 5

Revision: 07/19/2018 Supersedes Revision: 09/28/2017

#### 6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

# 7. Handling and Storage

Precautions To Be Taken

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

in Handling:

**Precautions To Be Taken** Store at <= -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-phenyl eneoxymethylene)]bis-	No data.	No data.	No data.
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.
2530-83-8	3-Glycidoxypropyltrimethoxysilane	No data.	No data.	No data.

**Respiratory Equipment** 

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate clothing to prevent skin exposure.

**Engineering Controls** 

Facilities storing or utilizing this material should be equipped with an eyewash

(Ventilation etc.):

facility and a safety shower.

Use process enclosure, local exhaust ventilation, or other engineering controls to

control airborne levels below recommended exposure limits.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

# 9. Physical and Chemical Properties

[X] Liquid [ ] Solid **Physical States:** [ ] Gas

Appearance: Clear. Appearance and Odor:

Odor: weak odor.

No data. pH: No data. **Melting Point: Boiling Point:** No data. > 93.00 C Flash Pt: **Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

UEL: No data. **Explosive Limits:** LEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.



Page: 4 of 5

Revision: 07/19/2018 Supersedes Revision: 09/28/2017

Specific Gravity (Water =  $\sim 1.0$ 

1):

Solubility in Water: No data.

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt:No data.DecompositionNo data.

Temperature:

Viscosity: No data.

### 10. Stability and Reactivity

Stability: Unstable [ X ] Stable [ ]

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

**Instability:** use.

**Incompatibility - Materials** Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [ ] Will not occur [ X ]

Reactions:

**Conditions To Avoid -** No data available.

**Hazardous Reactions:** 

# 11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Skin corrosion/irritation.

**Sensitization:** Skin sensitization.

# 12. Ecological Information

**General Ecological** 

Toxic to aquatic life with long lasting effects.

Information:

## 13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

## 14. Transport Information

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping** Polyamines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)

Name:

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: III



#### MARINE TRANSPORT (IMDG/IMO):

**IMDG/IMO Shipping Name:** Polyamines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)

Licensed to Appli-Tec GHS format



Page: 5 of 5

Revision: 07/19/2018 Supersedes Revision: 09/28/2017

AIR TRANSPORT (ICAO/IATA):

**ICAO/IATA Shipping** 

Polyamines, liquid, corrosive, n.o.s. (Polyoxypropylenediamine)

Name:

# 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

**Hazardous Components (Chemical Name)** CAS# S. 302 (EHS) S. 304 RQ S. 313 (TRI) 1675-54-3 No No Oxirane, No

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxyme

thylene)]bis-

\*Poly(oxy(methyl-1,2-ethanediyl) No 9046-10-0 No No 2530-83-8 3-Glycidoxypropyltrimethoxysilane No No No

CAS# Other US EPA or State Lists **Hazardous Components (Chemical Name)** 

1675-54-3 TSCA: Inventory, 8A

2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxyme

thylene)]bis-

\*Poly(oxy(methyl-1,2-ethanediyl) 9046-10-0 TSCA: Inventory 3-Glycidoxypropyltrimethoxysilane 2530-83-8 TSCA: Inventory, 8A

#### 16. Other Information

07/19/2018 **Revision Date:** 

Additional Information

**About This Product:** 

**Company Policy or** 

Disclaimer:

No data available.

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

**GHS** format Licensed to Appli-Tec