

Page: 1 of 6

Revision: 09/12/2018 Supersedes Revision: 02/10/2017

1. Product and Company Identification

Product Code: 3239 Product Name: 3239

Company Name: Appli-Tec, Inc Phone Number:

7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1C

Serious Eye Damage/Eye Irritation, Category 1

Skin Sensitization, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

GHS Precaution Phrases: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 6

Revision: 09/12/2018 Supersedes Revision: 02/10/2017

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin burns. May cause allergic skin reaction. **Eye Contact:** Causes eye burns. Causes serious eye damage.

Ingestion: Harmful if swallowed.

Additional Information No data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
7429-90-5	Aluminum	25.0 -35.0 %
28768-32-3	${\it 4,4'-Methylenebis[N,N-bis(2,3-epoxypropyl)aniline } \\]$	25.0 -35.0 %
25068-38-6	Bisphenol-a based epoxy resin	15.0 -30.0 %
NA	Modified Epoxy Resin	1.0 -10.0 %
112-57-2	Tetraethylenepentamine	1.0 -9.0 %
7209-38-3	1,4-Bis(3-aminopropyl)piperazine	1.0 -9.0 %
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	0.1 -5.0 %
112945-52-5	Silica, amorphous treated	0.1 -3.0 %
4067-16-7	3,6,9,12-Tetraazatetradecamethylenediamine	0.1 -3.0 %
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	0.1 -1.0 %
65997-17-3	Fibrous glass	0.1 -1.0 %
1333-86-4	Carbon black	0.0 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.



Page: 3 of 6

Revision: 09/12/2018 Supersedes Revision: 02/10/2017

5. Fire Fighting Measures

> 93.00 C Flash Pt:

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Do not breathe vapor. Use only with

adequate ventilation. Wash thoroughly after handling.

Precautions To Be Taken

Store at \leq -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7429-90-5	Aluminum	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 1 mg/m3 (resp.)	No data.
28768-32-3	4,4'-Methylenebis[N,N-bis(2,3-epoxypro pyl)aniline]	No data.	No data.	No data.
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.
NA	Modified Epoxy Resin	No data.	No data.	No data.
112-57-2	Tetraethylenepentamine	No data.	No data.	No data.
7209-38-3	1,4-Bis(3-aminopropyl)piperazine	No data.	No data.	No data.
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.
4067-16-7	$3,\!6,\!9,\!12\text{-}Tetraaz a tetra decame thy lene diamine$	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.
65997-17-3	Fibrous glass	No data.	TLV: 1 f/cc (fibers)	No data.
1333-86-4	Carbon black	PEL: 3.5 mg/m3	TLV: 3 mg/m3 (IHL)	No data.

APPLI-TEC

SAFETY DATA SHEET 3239

Page: 4 of 6

Revision: 09/12/2018 Supersedes Revision: 02/10/2017

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices: thoroughly after handling.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Gray. Liquid.

Odor: weak odor.

pH: No data.
Melting Point: No data.
Boiling Point: No data.
Flash Pt: > 93.00 C
Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = ~1.4

1):

Solubility in Water: No data.

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt: No data.

Decomposition No data.

Temperature:

Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use.

Incompatibility - Materials Oxidizing agents. Acids.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:



Page: 5 of 6

Revision: 09/12/2018 Supersedes Revision: 02/10/2017

11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Serious eye damage/irritation. Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

General Ecological

Toxic to aquatic life.

Information:

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Amines, solid, corrosive, n.o.s. (Tetraethylene pentamine, Substituted

Name: Piperazine).

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3259 Packing Group: III





MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Amines, solid, corrosive, n.o.s. (Tetraethylene pentamine, Substituted

Piperazine).

UN Number: 3259 Packing Group: III

Hazard Class: 8 - CORROSIVE

IMDG MFAG Number:

IMDG EMS Page: Marine Pollutant: Yes

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Amines, solid, corrosive, n.o.s. (Tetraethylene pentamine, Substituted

Name: Piperazine).

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7429-90-5	Aluminum	No	No	Yes
28768-32-3	4,4'-Methylenebis[N,N-bis(2,3-epoxypropyl)aniline	No	No	No
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
NA	Modified Epoxy Resin	No	No	No
112-57-2	Tetraethylenepentamine	No	No	No
7209-38-3	1,4-Bis(3-aminopropyl)piperazine	No	No	No
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	No	No	No
112945-52-5	Silica, amorphous treated	No	No	No
4067-16-7	3,6,9,12-Tetraazatetradecamethylenediamine	No	No	No
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No	No	No



Page: 6 of 6

Revision: 09/12/2018

Supersedes Revision: 02/10/2017

65997-17-3	Fibrous glass	No	No	No
1333-86-4	Carbon black	No	No	No

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7429-90-5	Aluminum	TSCA: Inventory
28768-32-3	4,4'-Methylenebis[N,N-bis(2,3-epoxypropyl)aniline	TSCA: Inventory
]	
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory
NA	Modified Epoxy Resin	TSCA: Inventory
112-57-2	Tetraethylenepentamine	TSCA: Inventory
7209-38-3	1,4-Bis(3-aminopropyl)piperazine	TSCA: Inventory
67762-90-7	Siloxanes and silicones, di-me, reaction products with silica	TSCA: Inventory, 8A, 8A PAIR
112945-52-5	Silica, amorphous treated	TSCA: Inventory
4067-16-7	3,6,9,12-Tetraazatetradecamethylenediamine	TSCA: Inventory
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	TSCA: Inventory
65997-17-3	Fibrous glass	TSCA: Inventory
1333-86-4	Carbon black	TSCA: Inventory

16. Other Information

Revision Date: 09/12/2018

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.