

SAFETY DATA SHEET 3321A

Page: 1 of 5

Revision: 08/29/2018

1. Product and Company Identification

Product Code: 3321A Product Name: 3321A

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Resin for two part adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 2
Serious Eve Damage/Eve Irritation, Category

Serious Eye Damage/Eye Irritation, Category 2A

Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

GHS Precaution Phrases: P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P405 - Store locked up.

Phrases: P501 - Dispose of contents/container according to local, state and federal

environmental regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



SAFETY DATA SHEET

Page: 2 of 5

Revision: 08/29/2018

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.
Ingestion: Harmful if swallowed.
Additional Information No data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
25068-38-6	Bisphenol-a based epoxy resin	50.0 -70.0 %
14807-96-6	Talcum	15.0 -30.0 %
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	4.0 -10.0 %
13463-67-7	Titanium dioxide	4.0 -10.0 %
65997-17-3	Fibrous glass	0.1 -1.0 %
21645-51-2	Aluminum hydroxide	0.1 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical aid immediately.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:



SAFETY DATA SHEET 3321A

Page: 3 of 5

Revision: 08/29/2018

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Use only in a well-ventilated area. Avoid ingestion and inhalation. Normal measures for preventive fire protection.

Precautions To Be Taken

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

8. Exposure Controls/Personal Protection						
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits		
25068-38-6	Bisphenol-a based epoxy resin	No data.	No data.	No data.		
14807-96-6	Talcum	PEL: 706 mppm3/20 mppcf	TLV: 2 mg/m3 (non-asbestos)	No data.		
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No data.	No data.	No data.		
13463-67-7	Titanium dioxide	PEL: 15 (dust) mg/m3	TWA: 10 mg/m3 (Total dust)	No data.		
65997-17-3	Fibrous glass	No data.	TLV: 1 f/cc (fibers)	No data.		
21645-51-2	Aluminum hydroxide	No data.	No data.	No data.		

Respiratory Equipment

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower.

Use process enclosure, local exhaust ventilation, or other engineering controls to

control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

thoroughly after handling.

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas

Appearance and Odor: Appearance: Blue. Paste.

Odor: weak odor.

No data. :Hq No data. **Melting Point:** No data. **Boiling Point:** > 93.00 C Flash Pt: No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.

UEL: No data. **Explosive Limits:** LEL: No data.

Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.



SAFETY DATA SHEET 3321A

Page: 4 of 5

Revision: 08/29/2018

Specific Gravity (Water = ~1.6

1):

Solubility in Water: No data.

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt:No data.DecompositionNo data.

Temperature:

Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Incompatible materials, Excess heat.

Instability:

Incompatibility - Materials Strong oxidizing agents, Strong acids, Strong bases, Water.

To Avoid:

Hazardous Decomposition Carbon oxides.

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. **Sensitization:** Skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol-A

Epichlorohydrin resin)

UN Number: 3082 Packing Group: III

Hazard Class: 9 - CLASS 9

IMDG MFAG Number:

IMDG EMS Page:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol-A

Name: Epichlorohydrin resin)

UN Number: 3082 Packing Group: III

Hazard Class: 9 - CLASS 9



SAFETY DATA SHEET 3321A

Page: 5 of 5

Revision: 08/29/2018

15.	Regula	atory	Inf	ormat	ion

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists				
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25068-38-6	Bisphenol-a based epoxy resin	No	No	No
14807-96-6	Talcum	No	No	No
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No	No	No
13463-67-7	Titanium dioxide	No	No	No
65997-17-3	Fibrous glass	No	No	No
21645-51-2	Aluminum hydroxide	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or	State Lists	
25068-38-6	Bisphenol-a based epoxy resin	TSCA: Inventory		
14807-96-6	Talcum	TSCA: Inventory		
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	TSCA: Inventory		
13463-67-7	Titanium dioxide	TSCA: Inventory		
65997-17-3	Fibrous glass	TSCA: Inventory		
21645-51-2	Aluminum hydroxide	TSCA: Inventory		

16. Other Information

Revision Date: 08/29/2018

Additional Information About This Product:

Company Policy or

Disclaimer:

No data available.

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.