

Page: 1 of 7

Revision: 03/29/2023

1. Product and Company Identification

Product Code: 5042 Product Name: 5042

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B
Serious Eye Damage/Eye Irritation, Category 2
Skin Sensitization, Category 1
Carcinogenicity, Category 1B
Toxic To Reproduction, Category 1B
Aquatic Toxicity (Chronic), Category 3







GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H350 - May cause cancer.

H360 - May damage fertility or the unborn child .

H412 - Harmful to aquatic life with long lasting effects.

GHS Precautionary

P201 - Obtain special instructions before use.

Phrases: P202 - Do not handle until all safety precautions have been read and

understood.

P261 - Avoid breathing vapors, mist or spray. P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

P281 - Use personal protective equipment as required.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.

Licensed to Appli-Tec GHS format



Revision: 03/29/2023

Page: 2 of 7

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin burns. May cause allergic skin reaction. **Eye Contact:** Causes eye burns. Causes serious eye damage.

Ingestion:Harmful if swallowed.Additional InformationNo data available.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-	60.0 -70.0 %
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	15.0 -30.0 %
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	10.0 -20.0 %
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-	1.0 -5.0 %
102-71-6	Triethanolamine	< 1.0 %
556-52-5	Glycidol	0.0 -0.5 %
106-89-8	Epichlorohydrin	0.0 -0.1 %
140-31-8	1-(2-Aminoethyl)piperazine	0.0 -0.1 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

Licensed to Appli-Tec GHS format



Page: 3 of 7

Revision: 03/29/2023

5. Fire Fighting Measures

Flash Pt: > 93.00 C

LEL: No data. **Explosive Limits:** UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand. MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Discharge into the environment must be avoided. Ensure adequate ventilation. Do not let product enter drains. Isolate area and deny entry. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert

material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, and clothing.

Wash thoroughly after handling.

Precautions To Be Taken

Store at <= -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection							
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits			
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-pheny leneoxymethylene)]bis-	No data.	No data.	No data.			
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No data.	No data.	No data.			
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No data.	No data.	No data.			
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-	No data.	No data.	No data.			
102-71-6	Triethanolamine	No data.	TLV: 5 mg/m3	No data.			
556-52-5	Glycidol	PEL: 50 ppm	TLV: 2 ppm	No data.			
106-89-8	Epichlorohydrin	PEL: 5 ppm	TLV: 0.5 ppm	No data.			
140-31-8	1-(2-Aminoethyl)piperazine	No data.	No data.	No data.			

Licensed to Appli-Tec **GHS** format



Page: 4 of 7

Revision: 03/29/2023

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash

facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Light. yellow. Viscous. Liquid.

Odor: weak odor.

pH: No data. No data. **Melting Point: Boiling Point:** No data. Flash Pt: > 93.00 C **Evaporation Rate:** No data.

Flammability (solid,

gas):

No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air

or mm Hg):

No data.

No data.

~1.1

Vapor Density (vs. Air =

1):

Specific Gravity (Water =

No data. Solubility in Water: Saturated Vapor No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data. **Decomposition**

Temperature:

No data.

Viscosity: No data.

Information with regard to primary physical

hazard:

Licensed to Appli-Tec **GHS** format



Page: 5 of 7

Revision: 03/29/2023

10. Stability and Reactivity

Stability: Unstable [X] Stable []

Conditions To Avoid - Product will cure at ambient temperatures. Keep in cold storage until ready to

Instability: use.

Incompatibility - Materials Strong oxidizing agents, bases, Water, Alcohols.

To Avoid:

Hazardous Decomposition Carbon oxides, nitrogen oxides (NOx).

or Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Serious eye damage/irritation. Skin corrosion/irritation.

Sensitization: Skin sensitization.

12. Ecological Information

General Ecological Harmful to aquatic organisms, may cause long-term adverse effects in the

Information: aquatic environment.

13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

Name:

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN2735 Packing Group: III



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

UN Number: UN2735 Packing Group: III

Hazard Class: 8 - CORROSIVE

IMDG MFAG Number:

Marine Pollutant: No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine)

UN Number: UN2735 Packing Group: III

Hazard Class: 8 - CORROSIVE

Licensed to Appli-Tec GHS format



Page: 6 of 7

Revision: 03/29/2023

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists						
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-	No	No	No		
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	No	No	No		
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	No	No	No		
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-	No	No	No		
102-71-6	Triethanolamine	No	No	No		
556-52-5	Glycidol	No	No	Yes		
106-89-8	Epichlorohydrin	Yes 1000 LB	Yes NA	Yes		
140-31-8	1-(2-Aminoethyl)piperazine	No	No	No		

California Proposition 65



This product can expose you to chemicals including Epichlorohydrin, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. This product can expose you to chemicals including Glycidol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1675-54-3	Oxirane, 2,2'-[(1-Methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-	TSCA: Inventory, 8A
9046-10-0	*Poly(oxy(methyl-1,2-ethanediyl)	TSCA: Inventory
68475-94-5	Fatty acids, C18-unsatd., dimers, polymers with epichlorohydrin	TSCA: Inventory
25322-69-4	Poly[oxy(methyl-1,2-ethanediyl)], .alphahydroomegahydroxy-	TSCA: Inventory
102-71-6	Triethanolamine	TSCA: Inventory, 8D TERM
556-52-5	Glycidol	TSCA: Inventory, 8A CA PROP.65: Yes: Canc.
106-89-8	Epichlorohydrin	TSCA: Inventory CA PROP.65: Yes: Canc+RTox(M)
140-31-8	1-(2-Aminoethyl)piperazine	TSCA: Inventory



Page: 7 of 7

Revision: 03/29/2023

16. Other Information

Revision Date:

03/29/2023

Additional Information About This Product:

No data available.

Company Policy or

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

Licensed to Appli-Tec **GHS** format