

Page: 1 of 5

Revision: 04/18/2023

#### 1. Product and Company Identification

**Product Code:** 5132B **Product Name:** 5132B

Appli-Tec, Inc **Phone Number: Company Name:** (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Hardener for two part adhesive

#### 2. Hazards Identification

Skin Corrosion/Irritation, Category 1B Serious Eye Damage/Eye Irritation, Category 2A Skin Sensitization, Category 1





**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H312 - Harmful in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

**GHS Precautionary** 

P261 - Avoid breathing vapors, mist or spray. P264 - Wash hands thoroughly after handling. Phrases:

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **GHS Response Phrases:** 

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up. P501 - Dispose of contents/container according to

national and local regulations. Phrases:

This material is classified as hazardous under OSHA regulations. OSHA Regulatory Status:

**GHS** format Licensed to Appli-Tec



Page: 2 of 5

Revision: 04/18/2023

Inhalation: Causes respiratory tract irritation.

**Skin Contact:** Causes skin irritation. May cause sensitization by skin contact.

Causes serious eye irritation. **Eve Contact:** 

Irritating to mouth, throat and stomach. Ingestion:

No data available. **Additional Information** 

## 3. Composition/Information on Ingredients

**Hazardous Components (Chemical Name)** CAS# Concentration 68410-23-1 85.0 -100.0 % Polyamide based resin 1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-112-24-3 5.0 -10.0 % 112945-52-5 Silica, amorphous treated 0.0 -5.0 %

Additional Information Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

Remove contaminated clothing. Wash skin with soap and water. Get medical In Case of Skin Contact:

attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally In Case of Eye Contact:

lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

Treat symptomatically and supportively. Note to Physician:

#### 5. Fire Fighting Measures

> 110.00 C Method Used: Setaflash Open Cup Flash Pt: UEL: No data. LEL: No data. **Explosive Limits:** 

No data. **Autoignition Pt:** 

Suitable Extinguishing

Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

**Unsuitable Extinguishing** 

Do not use water jet.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** 

No data available.

**Products:** 

Licensed to Appli-Tec **GHS** format



Page: 3 of 5

Revision: 04/18/2023

#### 6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. Handling and Storage

**Precautions To Be Taken** in Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale.

**Precautions To Be Taken** 

Store in a cool, dry, well-ventilated area away from incompatible substances.

in Storing:

8. Exposure Controls/Personal Protection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68410-23-1	Polyamide based resin	No data.	No data.	No data.
112-24-3	1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)-	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.

**Respiratory Equipment** 

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** 

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or

UEL: No data.

other engineering controls to control airborne levels below recommended

exposure limits.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

e Practices:

9. Physical and Chemical Properties [ ] Gas **Physical States:** [X] Liquid [ ] Solid

Appearance and Odor: Appearance: Reddish. Brown. Paste.

Odor: amine-like.

No data. pH: **Melting Point:** No data.

No data. - 0.00 C **Boiling Point:** 

Flash Pt: > 110.00 C Method Used: Setaflash Open Cup

No data. **Evaporation Rate:** 

No data available. Flammability (solid,

gas):

Vapor Pressure (vs. Air

**Explosive Limits:** 

or mm Hg):

No data.

No data.

LEL: No data.

Vapor Density (vs. Air =

1):

Specific Gravity (Water = No data.

**GHS** format Licensed to Appli-Tec



Page: 4 of 5

Revision: 04/18/2023

1):

Density: 970 LG/M3
Solubility in Water: No data.
Saturated Vapor No data.

Concentration:

**Octanol/Water Partition** 

Coefficient:

No data.

Autoignition Pt: No data.

Decomposition No data.

Temperature:

Viscosity: No data.

Information with regard to primary physical

hazard:

## 10. Stability and Reactivity

Stability: Unstable [ ] Stable [ X ]

**Conditions To Avoid -**

Instability:

Excess heat.

**Incompatibility - Materials** Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, Nitrogen oxides.

or Byproducts:

**Possibility of Hazardous** 

Will occur [ ]

Will not occur [X]

Reactions:

**Conditions To Avoid -** No data available.

**Hazardous Reactions:** 

# 11. Toxicological Information

Toxicological Information: No data available.

**Sensitization:** Respiratory and skin sensitization.

## 12. Ecological Information

No data available.

## 13. Disposal Considerations

**Waste Disposal Method:** Observe all federal, state, and local environmental regulations.

# 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** 

Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:



Licensed to Appli-Tec GHS format



Page: 5 of 5

Revision: 04/18/2023

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty

Acid, C-18-unsatd., dimers, reaction products with polyethylenepolyamines)

UN Number: UN3082 Packing Group: III

Hazard Class: 9 - CLASS 9

**IMDG MFAG Number:** 

Marine Pollutant: Yes

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fatty

Acid, C-18-unsatd., dimers, reaction products with polyethylenepolyamines)

UN Number: UN3082 Packing Group: III

Hazard Class: 9 - CLASS 9

### 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)
68410-23-1 Polyamide based resin No No No

112-24-3 1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)- No No No No No No No

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

68410-23-1 Polyamide based resin TSCA: Inventory 112-24-3 1,2-Ethanediamine, N,N'-Bis(2-aminoethyl)- TSCA: Inventory 112945-52-5 Silica, amorphous treated TSCA: Inventory

#### 16. Other Information

**Revision Date:** 04/18/2023

Additional Information About This Product:

No data available.

**Company Policy or** 

Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

Licensed to Appli-Tec GHS format