

Page: 1 of 6

Revision: 09/11/2023

#### 1. Product and Company Identification

Product Code: 3484 Product Name: 3484

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

Salem, NH 03079

Web site address: www.appli-tec.com

**Emergency Contact:** Contact medical emergency services

**Information:** Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

#### 2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Respiratory Sensitization, Category 1

Skin Sensitization, Category 1 Carcinogenicity, Category 2

Specific Target Organ Toxicity (single exposure), Category 3
Specific Target Organ Toxicity (repeated exposure), Category 2





GHS Signal Word: Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer .

H373 - May cause damage to through prolonged or repeated exposure. H3UN - 5.00 % of the mixture consists of an ingredient or ingredients of

unknown acute toxicity.

**GHS Precautionary** 

P201 - Obtain special instructions before use.

Phrases: P202 - Do not handle until all safety precautions have been read and

understood.

P260 - Do not breathe vapors, mist or spray.
P264 - Wash hands thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.



Page: 2 of 6

Revision: 09/11/2023

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+313 - IF exposed or concerned: Get medical attention/advice.

P314 - Get medical attention/advice if you feel unwell.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal P405 - Store locked up. P501 - Dispose of contents/container according to

Phrases: national and local regulations.

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

**Inhalation:** Harmful if inhaled.

**Skin Contact:** Causes skin irritation. May cause allergic skin reaction.

**Eye Contact:** Causes eye burns. Causes serious eye damage.

**Ingestion:** Harmful if swallowed.

**Additional Information** Percentage of mixture consisting of ingredients of unknown toxicity:75.73

#### 3. Composition/Information on Ingredients

| CAS#        | Hazardous Components (Chemical Name)                     | Concentration |
|-------------|----------------------------------------------------------|---------------|
| 101-68-8    | Methylenebis(phenylisocyanate)                           | 5.0 -20.0 %   |
| 3077-13-2   | 2-Propanol-1,1'-phenylaminobis                           | 1.0 -10.0 %   |
| 39310-05-9  | Diisocyanate (homopolymer)                               | 1.0 -5.0 %    |
| 112945-52-5 | Silica, amorphous treated                                | 1.0 -5.0 %    |
| 5873-54-1   | Benzene,<br>1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- | 0.1 -1.0 %    |
| 78-40-0     | Triethyl phosphate                                       | 0.1 -1.0 %    |

**Additional Information** Exact percentages have been withheld as a trade secret.

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical

attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally

lifting the upper and lower eyelids. Get medical attention/advice.

**In Case of Ingestion:** Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical advice/attention.

**Note to Physician:** Treat symptomatically and supportively.

Licensed to Appli-Tec GHS format



Page: 3 of 6

Revision: 09/11/2023

#### 5. Fire Fighting Measures

> 93.00 C Flash Pt:

LEL: No data. **Explosive Limits:** UEL: No data.

**Autoignition Pt:** No data.

**Suitable Extinguishing** 

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand.

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

**Hazardous Combustion** 

No data available.

**Products:** 

#### 6. Accidental Release Measures

Material Is Released Or

Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

#### 7. Handling and Storage

**Precautions To Be Taken** 

in Handling:

Normal measures for preventive fire protection. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash

thoroughly after handling.

**Precautions To Be Taken** 

in Storing:

Store at <= -40deg.C.

| 8. Exposure Controls/Personal Protection |                                                              |                |                       |              |  |
|------------------------------------------|--------------------------------------------------------------|----------------|-----------------------|--------------|--|
| CAS#                                     | Partial Chemical Name                                        | OSHA TWA       | ACGIH TWA             | Other Limits |  |
| 101-68-8                                 | Methylenebis(phenylisocyanate)                               | CEIL: 0.02 ppm | TLV: 0.005 ppm        | No data.     |  |
| 3077-13-2                                | 2-Propanol-1,1'-phenylaminobis                               | No data.       | No data.              | No data.     |  |
| 39310-05-9                               | Diisocyanate (homopolymer)                                   | No data.       | No data.              | No data.     |  |
| 112945-52-5                              | Silica, amorphous treated                                    | No data.       | No data.              | No data.     |  |
| 5873-54-1                                | Benzene,<br>1-Isocyanato-2-[(4-isocyanatophenyl)m<br>ethyl]- | TWA: 5 mg/m3   | CEIL: 5 mg/m3 (salts) | No data.     |  |
| 78-40-0                                  | Triethyl phosphate                                           | No data.       | No data.              | No data.     |  |

**Respiratory Equipment** 

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

(Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Eve Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls** 

Facilities storing or utilizing this material should be equipped with an eyewash

(Ventilation etc.): facility and a safety shower. Use adequate ventilation to keep airborne

concentrations low.

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

e Practices:

hands before breaks and at the end of workday.

Licensed to Appli-Tec **GHS** format



Page: 4 of 6

Revision: 09/11/2023

|                                                     | 9. Physical and Chemic                               | cal Properties |
|-----------------------------------------------------|------------------------------------------------------|----------------|
| Physical States:                                    | [ ] Gas [ X ] Liquid [ ] S                           | Solid          |
| Appearance and Odor:                                | Appearance: amber. Paste.<br>Odor: hydrocarbon-like. |                |
| pH:                                                 | No data.                                             |                |
| Melting Point:                                      | No data.                                             |                |
| <b>Boiling Point:</b>                               | No data.                                             |                |
| Flash Pt:                                           | > 93.00 C                                            |                |
| <b>Evaporation Rate:</b>                            | No data.                                             |                |
| Flammability (solid, gas):                          | No data available.                                   |                |
| <b>Explosive Limits:</b>                            | LEL: No data.                                        | UEL: No data.  |
| Vapor Pressure (vs. Air or mm Hg):                  | No data.                                             |                |
| Vapor Density (vs. Air = 1):                        | No data.                                             |                |
| Specific Gravity (Water = 1):                       | ~1.1                                                 |                |
| Solubility in Water:                                | No data.                                             |                |
| Saturated Vapor Concentration:                      | No data.                                             |                |
| Octanol/Water Partition Coefficient:                | No data.                                             |                |
| Autoignition Pt:                                    | No data.                                             |                |
| Decomposition Temperature:                          | No data.                                             |                |
| Viscosity:                                          | No data.                                             |                |
| Information with regard to primary physical hazard: |                                                      |                |

## 10. Stability and Reactivity

Stability: Unstable [ X ] Stable [ ]

Product will cure at ambient temperatures. Keep in cold storage until ready to **Conditions To Avoid -**

Instability: use.

Incompatibility - Materials Water, Strong bases, Alcohols, Oxidizing materials.

To Avoid:

Hazardous Decomposition Carbon oxides, nitrogen oxides (NOx).

or Byproducts:

Will occur [ ]

**Possibility of Hazardous** Reactions:

**Conditions To Avoid -**No data available.

**Hazardous Reactions:** 

Licensed to Appli-Tec **GHS** format

Will not occur [X]



Page: 5 of 6

Revision: 09/11/2023

## 11. Toxicological Information

Toxicological Information: No data available.

Irritation or Corrosion: Serious eye damage/irritation.
Sensitization: Respiratory and skin sensitization.

# 12. Ecological Information

No data available.

## 13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

## 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping** Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

**IMDG/IMO Shipping Name:** Not Regulated.

UN Number: Packing Group:

**Hazard Class:** 

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

Triethyl phosphate

78-40-0

UN Number: Packing Group:

**Hazard Class:** 

## 15. Regulatory Information

| EPA SARA (Superfund Amendments and Reauthorization Act of 1986) List | <b>EPA</b> | SARA | (Superfund | <b>Amendments</b> | and Reauthorizat | ion Act of 1986) List |
|----------------------------------------------------------------------|------------|------|------------|-------------------|------------------|-----------------------|
|----------------------------------------------------------------------|------------|------|------------|-------------------|------------------|-----------------------|

| EFA SARA (SI | iperiunu Amenuments anu Reauthorization Act              | OI 1900) LISIS  |               |               |
|--------------|----------------------------------------------------------|-----------------|---------------|---------------|
| CAS#         | Hazardous Components (Chemical Name)                     | S. 302 (EHS)    | S. 304 RQ     | S. 313 (TRI)  |
| 101-68-8     | Methylenebis(phenylisocyanate)                           | No              | Yes NA        | Yes-Cat. N120 |
| 3077-13-2    | 2-Propanol-1,1'-phenylaminobis                           | No              | No            | No            |
| 39310-05-9   | Diisocyanate (homopolymer)                               | No              | No            | No            |
| 112945-52-5  | Silica, amorphous treated                                | No              | No            | No            |
| 5873-54-1    | Benzene,<br>1-Isocyanato-2-[(4-isocyanatophenyl)methyl]- | No              | No            | Yes-Cat. N106 |
| 78-40-0      | Triethyl phosphate                                       | No              | No            | No            |
| CAS#         | Hazardous Components (Chemical Name)                     | Other US EPA o  | r State Lists |               |
| 101-68-8     | Methylenebis(phenylisocyanate)                           | TSCA: Inventory |               |               |
| 3077-13-2    | 2-Propanol-1,1'-phenylaminobis                           | TSCA: Inventory |               |               |
| 39310-05-9   | Diisocyanate (homopolymer)                               | TSCA: Inventory |               |               |
| 112945-52-5  | Silica, amorphous treated                                | TSCA: Inventory |               |               |
| 5873-54-1    | Benzene,                                                 | TSCA: Inventory | , 8D TERM     |               |
|              | 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-             |                 |               |               |
|              |                                                          |                 |               |               |

Licensed to Appli-Tec GHS format

TSCA: Inventory, 8A PAIR, 8D TERM



Page: 6 of 6

Revision: 09/11/2023

## 16. Other Information

**Revision Date:** 09/11/2023

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

Licensed to Appli-Tec GHS format