

1. Product and Company Identification

Product Code: 5314
Product Name: 5314
Company Name: Appli-Tec, Inc
 7 Industrial Way Unit 1
 Salem, NH 03079
Phone Number: (603)685-0500
Web site address: www.appli-tec.com
Emergency Contact: Contact medical emergency services
Information: Call Chemtrec for Transport Info. (800)424-9300
Intended Use: Adhesive

2. Hazards Identification

Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 2
Serious Eye Damage/Eye Irritation, Category 2
Skin Sensitization, Category 1
Carcinogenicity, Category 2
Specific Target Organ Toxicity (single exposure), Category 3
Aquatic Toxicity (Chronic), Category 2



GHS Signal Word: **Warning**

GHS Hazard Phrases: H302 - Harmful if swallowed.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.
 H335 - May cause respiratory irritation.
 H351 - Suspected of causing cancer .
 H411 - Toxic to aquatic life with long lasting effects.

GHS Precautionary Phrases: P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P261 - Avoid breathing vapors, mist or spray.
 P264 - Wash hands thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P302+352 - IF ON SKIN: Wash with plenty of soap and water.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+313 - IF exposed or concerned: Get medical attention/advice.
 P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.
P362 - Take off contaminated clothing and wash before re-use.
P391 - Collect spillage.

GHS Storage and Disposal Phrases: P405 - Store locked up.
P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin irritation. May cause allergic skin reaction.

Eye Contact: Causes eye irritation.

Ingestion: Harmful if swallowed.

Additional Information No data available.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
1344-28-1	Aluminum oxide	<76.0 %
9003-36-5	Phenol, polymer with (chloromethyl)oxirane and formaldehyde	10.0 -25.0 %
931-36-2	2-Ethyl-4-methylimidazole	0.1 -1.0 %
112945-52-5	Silica, amorphous treated	0.1 -1.0 %
822-36-6	4-Methylimidazole	0.0 -0.1 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention/advice.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical advice/attention.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 93.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and Hazards: No data available.

Hazardous Combustion Products: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken in Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use only in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing: Store at <= -40deg.C.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
9003-36-5	Phenol, polymer with (chloromethyl)oxirane and formaldehyde	No data.	No data.	No data.
931-36-2	2-Ethyl-4-methylimidazole	No data.	No data.	No data.
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.
822-36-6	4-Methylimidazole	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Appearance: Blue. Liquid.
Odor: weak odor.

pH: No data.

Melting Point: No data.

Boiling Point: No data.

Flash Pt: > 93.00 C

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.
Specific Gravity (Water = 1): ~2.6
Solubility in Water: No data.
Saturated Vapor Concentration: No data.
Octanol/Water Partition Coefficient: No data.
Autoignition Pt: No data.
Decomposition Temperature: No data.
Viscosity: No data.

Information with regard to primary physical hazard:

10. Stability and Reactivity

Stability: Unstable [X] Stable []
Conditions To Avoid - Instability: Product will cure at ambient temperatures. Keep in cold storage until ready to use.
Incompatibility - Materials To Avoid: Strong acids, Strong bases, Strong oxidizing agents, Strong reducing agents, Amines, Oxidizing agents.
Hazardous Decomposition or Byproducts: Carbon oxides, Aldehydes, oxides of sulfur.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

Toxicological Information: No data available.
Sensitization: Skin sensitization.

12. Ecological Information

No data available.


13. Disposal Considerations

Waste Disposal Method: Observe all federal, state, and local environmental regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol F epoxy resin)
DOT Hazard Class: 9 CLASS 9
UN/NA Number: UN3082 **Packing Group:** III



MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol F Epoxy resin)
UN Number: UN3082 **Packing Group:** III
Hazard Class: 9 - CLASS 9
IMDG MFAG Number:
Marine Pollutant: Yes

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Environmentally Hazardous Substance, Liquid, n.o.s. (Bisphenol F epoxy resin)
UN Number: UN3082 **Packing Group:** III
Hazard Class: 9 - CLASS 9

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1	Aluminum oxide	No	No	Yes
9003-36-5	Phenol, polymer with (chloromethyl)oxirane and formaldehyde	No	No	No
931-36-2	2-Ethyl-4-methylimidazole	No	No	No
112945-52-5	Silica, amorphous treated	No	No	No
822-36-6	4-Methylimidazole	No	No	No

California Proposition 65



WARNING

This product can expose you to chemicals including 4-Methylimidazole, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	TSCA: Inventory
9003-36-5	Phenol, polymer with (chloromethyl)oxirane and formaldehyde	TSCA: Inventory
931-36-2	2-Ethyl-4-methylimidazole	TSCA: Inventory
112945-52-5	Silica, amorphous treated	TSCA: Inventory
822-36-6	4-Methylimidazole	TSCA: Inventory CA PROP.65: Yes: Canc.

16. Other Information

Revision Date: 10/24/2023

Additional Information No data available.
About This Product:

Company Policy or The information on this data sheet represents our current and best opinion as to
Disclaimer: the proper use in handling of this product under normal conditions. Any use of
the product which is not in conformance with this data sheet or the applicable
technical bulletin, or which involves using the product in combination with any
other product or any other process is the responsibility of the user.