

Page: 1 of 6

Revision: 10/04/2024 Supersedes Revision: 02/08/2024

1. Product and Company Identification

Product Code: 0308 Product Name: 0308

Company Name: Appli-Tec, Inc Phone Number: 7 Industrial Way Unit 1 (603)685-0500

7 Industrial Way Unit 1 Salem, NH 03079

Web site address: www.appli-tec.com

Emergency Contact: Contact medical emergency services

Information: Call Chemtrec for Transport Info. (800)424-9300

Intended Use: Adhesive

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Respiratory Sensitization, Category 1

Skin Sensitization, Category 1

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H335 - May cause respiratory irritation.

P261 - Avoid breathing vapors, mist or spray.

GHS Precautionary

Phrases: P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P285 - In case of inadequate ventilation wear respiratory protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P341 - If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

P342+311 - If experiencing respiratory symptoms call a POISON CENTER or

doctor/physician.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal P405 - Store locked up.



Page: 2 of 6

Revision: 10/04/2024 Supersedes Revision: 02/08/2024

Phrases: P501 - Dispose of contents/container according to national and local regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Inhalation: Toxic if inhaled. Causes respiratory tract irritation. May cause allergic respiratory

reaction.

Skin Contact: Causes skin irritation. May cause sensitization by skin contact.

Eye Contact: Causes eye irritation.

Ingestion: May cause irritation of the digestive tract.

Additional Information

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
101-68-8	Methylenebis(phenylisocyanate)	5.0 -20.0 %
112945-52-5	Silica, amorphous treated	5.0 -10.0 %
3077-13-2	2-Propanol-1,1'-phenylaminobis	1.0 -10.0 %
39310-05-9	Diisocyanate (homopolymer)	1.0 -5.0 %
5873-54-1	Benzene, 0.1 -1.0 % 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-	
78-40-0	Triethyl phosphate	0.1 -1.0 %

Additional Information Exact percentages have been withheld as a trade secret.

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get immediate medical attention.

In Case of Skin Contact: Remove contaminated clothing and shoes. Wash with soap and water. Get

medical attention if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the

upper and lower eyelids. Get medical attention immediately.

In Case of Ingestion: If swallowed, do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Get medical aid immediately.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Point: > 177.00 C

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Media:

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and No data available.

Hazards:

Hazardous Combustion No data available.

Products:

Page: 3 of 6

Revision: 10/04/2024 Supersedes Revision: 02/08/2024

6. Accidental Release Measures

Material Is Released Or Spilled:

Steps To Be Taken In Case Ensure adequate ventilation. Isolate area and deny entry. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Use proper personal protective equipment as indicated in Section 8. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. Handling and Storage

Precautions To Be Taken

in Handling:

Avoid contact with eyes, skin, and clothing. Avoid breathing dust, mist, or vapor.

Use with adequate ventilation.

Precautions To Be Taken

Store at <= -40deg.C.

in Storing:

8. Exposure Controls/Personal Protection						
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits		
101-68-8	Methylenebis(phenylisocyanate)	CEIL: 0.02 ppm	TLV: 0.005 ppm	No data.		
112945-52-5	Silica, amorphous treated	No data.	No data.	No data.		
3077-13-2	2-Propanol-1,1'-phenylaminobis	No data.	No data.	No data.		
39310-05-9	Diisocyanate (homopolymer)	No data.	No data.	No data.		
5873-54-1	1 Benzene, TWA: 5 mg/m3 CEIL: 5 mg/m3 (salts) No data. 1-Isocyanato-2-[(4-isocyanatophenyl)m ethyl]-					
78-40-0	Triethyl phosphate	No data.	No data.	No data.		

Respiratory Equipment

(Specify Type):

Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

e Practices:

Work/Hygienic/Maintenanc Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

9. Physical and Chemical Properties

[] Gas [X] Liquid [] Solid **Physical States:**

Appearance: amber. Liquid. **Appearance and Odor:**

Odor: hydrocarbon-like.

No data. pH: **Melting Point:** No data. **Boiling Point:** No data. > 177.00 C Flash Point: **Evaporation Rate:** No data.

Flammability (solid,

gas):

No data available.

LEL: No data. UEL: No data. **Explosive Limits:**

Vapor Pressure: No data.



Page: 4 of 6

Revision: 10/04/2024 Supersedes Revision: 02/08/2024

Vapor Density (vs.

Air=1):

No data.

Specific Gravity

~1.1

(Water=1):

Solubility in Water: No data.

Saturated Vapor

No data.

Concentration:

Octanol/Water Partition

No data.

Coefficient:

No data. **Autoignition Pt: Decomposition** No data.

Temperature:

No data. Viscosity:

10. Stability and Reactivity

Stable [] Unstable [X] Stability:

Product will cure at ambient temperatures. Keep in cold storage until ready to **Conditions To Avoid -**

Instability:

Incompatibility - Materials Strong oxidizing agents.

To Avoid:

Hazardous Decomposition Carbon oxides, nitrogen oxides (NOx).

or Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available. Irritation or Corrosion: Corrosive to eyes .

Sensitization: Respiratory and skin sensitization.

12. Ecological Information

No data available.

13. Disposal Considerations

Observe all federal, state, and local environmental regulations. **Waste Disposal Method:**

14. Transport Information



Page: 5 of 6

Revision: 10/04/2024 Supersedes Revision: 02/08/2024

LAND TRANSPORT (US DOT):

DOT Proper Shipping Not Regulated.

Name:

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

UN Number: Packing Group:

Hazard Class:

IMDG MFAG Number:

Marine Pollutant: No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

UN Number: Packing Group:

Hazard Class:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
101-68-8	Methylenebis(phenylisocyanate)	No	Yes NA	Yes-Cat. N120
112945-52-5	Silica, amorphous treated	No	No	No
3077-13-2	2-Propanol-1,1'-phenylaminobis	No	No	No
39310-05-9	Diisocyanate (homopolymer)	No	No	No
5873-54-1	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-	No	No	Yes-Cat. N106
78-40-0	Triethyl phosphate	No	No	No

California Proposition 65



This product can expose you to chemicals including 4-Vinyl-1-cyclohexene and 1,3-Butadiene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
101-68-8	Methylenebis(phenylisocyanate)	TSCA: Yes - Inventory CA PROP.65: No
112945-52-5	Silica, amorphous treated	TSCA: Yes - Inventory CA PROP.65: No
3077-13-2	2-Propanol-1,1'-phenylaminobis	TSCA: Yes - Inventory CA PROP.65: No
39310-05-9	Diisocyanate (homopolymer)	TSCA: Yes - Inventory CA PROP.65: No
5873-54-1	Benzene, 1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-	TSCA: Yes - Inventory, 8D TERM CA PROP.65: No
78-40-0	Triethyl phosphate	TSCA: Yes - Inventory, 8A PAIR, 8D TERM CA PROP.65: No
CAS#	Hazardous Components (Chemical Name)	International Regulatory Lists
101-68-8	Methylenebis(phenylisocyanate)	REACH: Yes - (P), 01-2119457014-47: Full, Res 56(a).
112945-52-5	Silica, amorphous treated	REACH: Yes - (P)
3077-13-2	2-Propanol-1,1'-phenylaminobis	REACH: Yes - (P)



Revision: 10/04/2024

Page: 6 of 6

Supersedes Revision: 02/08/2024

39310-05-9 Diisocyanate (homopolymer) REACH: Yes - (P)

5873-54-1 Benzene, REACH: Yes - (P), 01-2119480143-45: Full, Res. - 56(b).

1-Isocyanato-2-[(4-isocyanatophenyl)methyl]-

78-40-0 Triethyl phosphate REACH: Yes - (P), 01-2119492852-28: Full

16. Other Information

Revision Date: 10/04/2024 Previous revision: 02/08/2024

Additional Information About This Product:

No data available.

Company Policy or Disclaimer:

The information on this data sheet represents our current and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or the applicable technical bulletin, or which involves using the product in combination with any other product or any other process is the responsibility of the user.